Impacts and Constraints Evaluation of Organic Farming in West Bengal

Ranjan K. Biswas Debanshu Majumder Ashok Sinha

AGRO-ECONOMIC RESEARCH CENTRE VISVA - BHARATI SANTINIKETAN 2011

Preface

The present study entitled "Impacts and constraints evaluation of Organic Farming in West Bengal" is undertaken as a separate study designed and initiated by the Agro-Economic Research Centre, Visva – Bharati, Santiniketan, WB. The purpose of this study is to measure the status and impacts of organic farming as an alternate system of conventional method in West Bengal and also to identify the relevant constraints of organic farming that hinder the adoption of this specific and scientific method of farm operation in large scale by the farming community during the year 2009 - 10 academic programme of this centre. The study was undertaken in four villages, each from one block. Thus four blocks from two districts (two blocks from each district) were selected for the study. The total number of households selected for the study was 120, out of which 60 households were involved in organic farm operation and the rest 60 households were practicing inorganic method of farming system.

In the 21st century, the ever increasing population of the country necessitates greater demand for safe and nutritious agriculture crops and environmental amenities. Hence, efficient, equitable and sustainable use and management of natural resources in the field of crop cultivation are necessary for economic development of region and more so in the agrarian state like West Bengal as well as the country like India. Development, promotion and management of appropriate technologies of organic farming have been viewed as major priorities to ameliorate the problem of present agriculture and of natural resource degradation. This results in multiple benefits such as ensuring food security, enhancing viability of farming and restoring ecological balance. The strategy of organic farming is to protect and sustain the livelihoods of resource poor farmers who are experiencing production constraints due to excessive use of off-farm production inputs in addition to problems created by soil erosion and moisture stress. Organic farming is to ensure the maximum use of on-farm production inputs and the availability of soil moisture. Thus organic farming helps in raising income and employment for farmers through improvement in agricultural productivity and sustainability in agricultural production.

In the light of the above background and consideration, the present study has been undertaken in the state of West Bengal. The result of the study showed that the overall increase in number of farms and area under organic farming has been found higher in NGOs area in both the district, except in Jalpaiguri district where the area under organic farming has increased more in Government activity area. The adoption of organic agriculture technologies in the study area was found to be very poor due to unavailability of required quantity of organic production inputs and price premium of organic farm products. The study emphasizes the urgent need for coordination between the agencies involved in implementation of the organic farming programme, which is at present lacking, for efficient and fruitful implementation of the programme. The comparative economics between organic and inorganic farming showed that though the return / cost ratio for most of the crops under organic system was lower but the ratio was favorable and mainly the higher cost of organic manure was liable for this lower return / cost ratio. It has been proved by prevailing higher price of organic crops in the market that qualities of organic crops were good and beneficial for health and the consumers' were willing to pay price premium. Organic farmers in both NGOs and Government area were motivated to adopt organic technology in their farming activity from awareness regarding good quality of organic product, beneficial role of organic crops in human health, high profitability of organic farming than other system, etc. Among seventeen, constraints like high cost of organic inputs, no market for organic product, unavailability of organic inputs, less yield and no price advantage for organic product are found to be the major constraints according to their ranking as first, second, third, fourth and fifth.

The study was carried out under the leadership of Ranjan K. Biswas. The field survey was organized by Ranjan K. Biswas and the field investigation work was done by him accompanied by D. Majumder. The entire responsibility of formation of table design as well as preparation of tables, analyzing the data and drafting of the report has been shouldered by Ranjan K. Biswas.

The secretarial assistance has been received from Mr. D. Mondal, Mr. N. Maji, Mr. Munshi A. Khalek, Mr. P. Hazra and Mr. S. Sandhu. The duplicating of the report has been done by Mr. Amulya Ratan Patra.

On behalf of the centre, the undersigned likes to take this opportunity to thank Agriculture Assistant of Society for Equitable Voluntary Actions (SEVA – a NGO), Director of Agriculture of Loka Kalyan Parishad (LKP – a NGO), Assistant Director of Agriculture, Government of West Bengal for Barasat I block and Jalpaiguri Sadar block and Deputy Director of Agriculture, Directorate of Plant Protection & Quality Control, Ministry of Agriculture, Government of West Bengal for their kind cooperation in conducting the study. We express our deep sense of gratitude towards all of them.

Santiniketan May, 2011 Debashis Sarkar Director AER Centre, Visva-Bharati

CONTENTS

Chapter	Particulars	Page No.
Preface		8
I	INTRODUCTION	
1.1	Prelude	
1.2	Objectives of the study	
1.3	Database and Methodology	
1.3.1	Selection of farmers	
1.3.2	Methods of data collection	
1.3.3	Measurement of variables	
1.4	Scheme of the chapters	
1.5	Limitations of the study	
п	REVIEW OF LITERATURE	
2.1	Organic Farming	
2.1	Application of organic farming	
2.2	represented of organic raining	
III	PROFILE OF THE STUDY AREA	
3.1	Profile of the West Bengal state	
3.2	Profile of the North 24 Parganas district	
3.3	Profile of the Jalpaiguri district	
3.4	Characteristics of selected farmers	
3.5	Annual family income	
3.6	Annual farm income	
IV	RESULTS AND DISCUSSIONS	
4.1	Status of organic farming in West Bengal	
4.2	Comparative economics of crop production under organic and inorganic farming	
4.3.1	Economics of lady's finger	
4.3.2	Economics of potato	
4.4	Impact of organic farming in relation to quality of produces and price premium	
4.4.1	Consumers' behavior towards the organic food products	
4.4.2	Distribution of the consumers	
4.4.3	Consumers' awareness and willingness to buy the organic products	
4.4.4	Impact of price	
4.4.4.1	Overall price of all crops	
4.4.4.2	The Price premium	
4.5	Farmers' awareness regarding organic farm practices	
4.6	Constraints in adoption of organic farming	
V	SUMMARY AND CONCLUSION	

References Appendix-I LIST OF TABLES

Table No.	Title of the Table	Page
3.1	Demographic profile of West Bengal	19
3.2	Net and gross cropped area and cropping intensity in WB	20
3.3	Demographic profile of North 24 Parganas district	21
3.4	Agricultural profile of North 24 Parganas district	22
3.5	Demographic profile of Jalpaiguri district	23
3.6	Agricultural profile of Jalpaiguri district	24
3.7	Family members of the sample farms	25
3.8	Land size of the sample farms	26
3.9	Irrigated land of the sample farms	27
3.10	Number of livestock of the sample farms	28
3.11	Annual family income of the sample farms	29
3.12	Annual farm income of the sample farms	30
3.13	Percentage of farm income over family income of the sample farms	31
4.1	Status of organic farming in respect to number of farms and land area in ha	33
4.2	Status of sample organic farms in respect to organic farm (area in ha)	33
4.3	Comparative cost of cultivation of lady's finger	34
4.4	Estimated t values for organic and inorganic farming practices of Lady's Finger	35
4.5	Cost A_1 for cultivation of lady's finger	36
4.6	Comparative cost of cultivation of potato	37
4.7	Estimated t values for organic and inorganic farming practices of Potato	37
4.8	Cost A_1 for cultivation of potato	38
4.9	Marketwise income profile of the respondent consumers	39
4.10	Price premium (in %) that consumers' willing to pay for organic products	40
4.11	Comparative price (Rs/qtl) of organic & inorganic farm products in NGO	
	area	41
4.12	Comparative price (Rs/qtl) of organic & inorganic farm products in	
	Government area	41
4.13	Price premium (Rs/qtl) of organic over inorganic farm products	42
4.14	Ranking of organic farmers' awareness	43
4.15	Field level constraints of organic farming as perceived by the sample farms	44
4.16	Relative importance of different types of constraints of organic farming	
	among the sample farms	44
4.17	Socio-economic constraints of organic farming as perceived by the sample farms	44

Table No.	Title of the Table	Page
4.18	Situational constraints of organic farming as perceived by the sample farms	45
4.19	Infrastructural constraints of organic farming as perceived by the sample	
	farms	45
4.20	Technological constraints of organic farming as perceived by the sample	45
	farm	
A1	Comparative cost of cultivation of Cauliflower	56
A2	Estimated t values for organic and inorganic farming practices of	56
	Cauliflower	
A3	Cost A_1 for cultivation of Cauliflower	57
A4	Comparative cost of cultivation of Chilli	57
A5	Estimated t values for organic and inorganic farming practices of Chilli	58
A6	Cost A_1 for cultivation of Chilli	58
A7	Comparative cost of cultivation of Cowpea	58
A8	Estimated t values for organic and inorganic farming practices of Cowpea	59
A9	Cost A_1 for cultivation of Cowpea	59
A10	Comparative cost of cultivation of Brinjal	60
A11	Estimated t values for organic and inorganic farming practices of Brinjal	60
A12	Cost A_1 for cultivation of Brinjal	60
	v	

Chapter I INTRODUCTION

1.1 Prelude

The word "organic" means "the plant or animal origin". It also refers to the organizational aspect of an organism. So, "organic agriculture" is not a very precise term. With an understanding of the principles of organic farming, a straight and simple definition to the concept can be suggested. In reality, organic farming is a system of farming which devoid of chemical inputs and in which the biological potential of the soil and underground water resources are conserved and protected from the natural and human induced degradation or depletion. It is adopted by suitable cropping models including agro-forestry and method of organic replenishment. Besides, natural and biological means are used for pest and disease management by which the soil life and beneficial interaction are stimulated and sustained. The system achieves self regulation and stability as well as capacity to produce agricultural outputs at levels which are profitable and enduring over time.

Organic Agriculture includes all agricultural systems that promote the environmental, social and economical production of food and fibre on a sustainable basis. This system takes local soil fertility as a key to successful production. By respecting the natural plants, animals and the landscape, it aims to optimize quality in all aspects of agriculture and the environment. Organic agriculture dramatically reduces external inputs by refraining from the use of chemical/synthetic fertilizers, pesticides and pharmaceuticals. Instead, it allows the powerful laws of nature to increase both agricultural yields and disease resistance. Organic agriculture is also a rule based agricultural system in which the operator has to follow the standards of organic farming set by the certification organization.

Organic agriculture is one of several approaches to sustainable agriculture and many of the techniques used (e.g. inter-cropping, rotation of crops, mulching, integration of crops and livestock) are practiced under various agricultural systems. What makes organic agriculture unique, as regulated under various laws and certification programmes, is that (1) almost all synthetic inputs are prohibited, and (2) "soil building" crop rotations are mandated. The basic rules of organic production are that natural inputs are approved and synthetic inputs are prohibited. But there are exceptions in both cases. Certain natural inputs determined by the various certification programmes to be harmful to human health or the environment are prohibited (e.g. Arsenic). As well, certain synthetic inputs determined to be essential and consistent with organic farming philosophy are allowed (e.g. insect pheromones). Many certification programmes require additional environmental protection measures in addition to these two requirements. While many farmers in the developing world do not use synthetic inputs, this alone is not sufficient to classify there operations as organic.

After continuing that type of farming practices, based on the use of inorganic and mineral components for a long time, there has been an increasing demand for rethinking agricultural growth strategy. Agricultural sustainability, degradation of soil (soil productivity and soil structure), bio-diversity, impact on human health and environment as a whole are important criteria now-a-days. In the nineties of the 20th century, a focus on long-term sustainability of agriculture has been enhanced as an alternative to inorganic farming. Usage of bio-fertilizers and bio-pesticides, organic farming, bio-dynamic farming, low input agriculture, permaculture, sustainable agriculture, integrated farming practices (Integrated Pest Management and Integrated Nutrient Management) are some of the practices having same objectives that are being espoused by proponents not only in developed countries but in developing countries also. All these practices are alternatives of inorganic farming keeping in view the increasing demand for green agriculture products across the world. This growing demand for green agriculture products is both a constraint as well as window of opportunity not only for the agriculturists but also for producers, suppliers and traders of agriculture inputs (fertilizers, pesticides, etc.) and outputs.

It is fact that organic farmers are few in number. It is also fact that consumer demand for organic food and fibre products creates new market opportunities for cultivators and businesses around the world and thereby it creates new challenges for Food and Agriculture Organisation (FAO). Only the private sector alone has developed the markets for organic products for many years with great success and at present the public sector has begun to give emphasis for the same due to the surge in consumer interest. It is to be noted that in several developed countries like Austria, Switzerland, etc. organic agriculture has came to represent only 10% and 7.8% respectively of the food system and many others like USA, France, Japan, Singapore, etc. are experiencing growth rates that exceed 20% annually. In the case of developing countries, some have small domestic organic market (e.g. Egypt) and a few have begun to seize the profitable export opportunities created by organic agriculture (e.g. export of Mexican coffee, Ugandan cotton, etc.)

It is observed that under organic farming practice, yield of crops does not decrease. The basic fact is that crop requires 16 nutrients for plant growth. When one applies chemical fertilizer then the assurance is only for one,

two, or three nutrients. When the application of organic manure is done, the availability of all the 16 nutrients is assured. It has been observed that vermicompost is a rich source of macro and micro nutrients, vitamins, enzymes, anti-biotic and growth hormones. Besides nutrients, in case of organic farming, the activity of micro-organisms increase manifold, whereas in case of chemical farming it is ceased. It is a well known fact that nitrogen cycle, carbon cycle; even availability of phosphorus is governed by micro-organisms. At the same time if equal quantity of nutrient is applied through organic manure, then the question of decrease in yield does not arise. Secondly fertilizer use efficiency will be much higher under organic conditions, the leaching and evaporation losses will be lesser. Furthermore, the moisture retention capacity of the soil increases which helps to grow crops even under drought condition. In view of the above, the present study has been conducted to examine the impacts and constraints of organic farming in West Bengal. The reference period of the study is 2009-10.

1.2 Objectives of the study

The specific objectives of the study are

- (i) To study the status of organic farming in West Bengal;
- (ii) To study the comparative economics of crop production under organic and inorganic farming;
- (iii) To study the impact of organic farming in relation to quality of produce and price premium;
- (iv) To study the farmers' awareness regarding organic farm practices;
- (v) To study the constraints in adoption of organic farming.

1.3 Database and Methodology

The study has been confined to two districts i.e. one from southern part and another from northern part of West Bengal. Emphasis has been made in selection of districts where both government and non-government organizations are working for organic farming. Thus, North 24-Parganas district from southern part and Jalpaiguri district from northern part have been selected purposively. In these two districts, government and non-government organizations are working simultaneously to promote organic farming. It may be mentioned that the programme of organic farming was adopted by the government initially at one village in a district. These villages are called bio-village.

In the second stage, four blocks two from each district have been selected purposively on the same criteria mentioned above. These blocks are Barasat-I and Baduria of North 24-Parganas district and Jalpaiguri Sadar and Kalchini block of Jalpaiguri district. Among the selected blocks, government agency has been working in Barasat-I and Jalpaiguri Sadar Block. NGOs are working in other two blocks.

In the next stage, two bio-villages viz., Babpur village under Purba Kalikapur Gram Panchayet (Barasat-I block) of North 24-Parganas district and Ghughudanga village under Kharija Berubari-I Gram Panchayet (Jalpaiguri Sadar block) of Jalpaiguri district have been selected purposively. Similarly, the list of villages adopted by the NGOs has been collected. In the next stage two villages i.e. Panji village under Jadurhati Uttar Gram Panchayet (Baduria block) and Purba Satali village of Satali Gram Panchayet (Kalchini block) of North 24-Parganas and Jalpaiguri district, respectively have been selected randomly.

1.3.1 Selection of farmers

In the first stage, the list of the farmers along with their size of holdings has been collected. In the second stage, all the farmers have been sub-divided into five categories based on size of land holdings viz., (i) sub-marginal (below 0.50 ha), (ii) marginal (0.51 ha to 1.00 ha), (iii) small (1.01 ha to 2.00 ha), (iv) medium (2.01 ha to 4.00 ha) and (v) big (4.01 ha and above). In the next stage, 30 farmers i.e. 15 each from organic and inorganic farms have been selected from each village based on simple random sampling with proportional allocation. Thus, all total 120 farm households have been selected for in-depth study.

1.3.2 Methods of data collection

The primary data have been collected by personal interview using pre-tested survey schedule specially prepared for this purpose. The reference period of the study is 2009-10. Different aspects of farm operation have been obtained for both organic and inorganic farming systems. These aspects are (i) record of organic farmers indicating the number of years engaged in organic practices, (ii) season wise record of crops both in organic and inorganic farms, (iii) input and output record of both organic and inorganic farms, (iv) cost of cultivation as well as cost of production record for different crops of both group of farmers, (v) record of price received from sale of products in market and (vi) input uses record both in organic and inorganic farms.

1.3.3 Measurement of variables

On the basis of extensive review of studies and consultation with the experts, the relevant variables associated with the adoption and non-adoption of organic farming were identified. The variables related to adoption of organic farming are measured on the basis of 5-point scale following the scoring method as very strong = 5, strong = 4, medium = 3, low = 2 and nil = 1. Similarly, the variables related to non-adoption of organic farming are measured as very strong = 2, medium = 3, low = 4 and nil = 5.

The variables as identified for the adoption of organic farming are (i) high profitable, (ii) minimum production risk, (iii) higher employment potentiality, (iv) lower recurring cost for inputs, (v) beneficial for health, (vi) increasing consumer demand, (vii) higher price of organic product and (viii) good quality. Similarly, identified variables for non-adoption of organic farming are (i) not aware , (ii) no scope, (iii) small holding size, (iv) lower profitability, (v) lower yield, (vi) high cost of organic inputs, (vii) higher production risk, (viii) lacking of price advantage, (ix) lack of market, (x) lower employment potentiality, (xi) more recurring cost for inputs, (xii) non-availability of suitable land, (xiii) non-availability of organic inputs, (xiv) lack of consumer demand, (xv) inconvenience of organic techniques, (xvi) lack of experience on organic farming, (xvii) lack of training on organic practices.

1.4 Scheme of the chapters

The entire study report has been organized into five chapters. These are (1) Introduction, (2) Review of literature, (3) Profile of the study area, (4) Results and discussion and (5) Summary and conclusions.

1.5 Limitations of the study

Though considerable precautions and thoughts have been exercised to make the study precise, objective and reliable, yet because of limited resources at the disposal, the study has been restricted to specific areas and could not be extended to larger areas and more crops. Individual's biases and prejudices on the part of the respondents might have influenced the findings of the study because the field level investigation was based on individual's perception and expressed opinion. However, from inter-checks of different elements of the data no systematic biases are, however apparent. However, due to its demonstration of the various issues and aspects of the problem, the study might have much wider application and this could be extended to other similar areas.

Chapter II REVIEW OF LITERATURE

In this Chapter an attempt has been made to gather the important findings of the previous research works related to organic farming. For convenience, the entire review has been sub-divided into two sub-heads i.e. (1) organic farming and (2) application of organic farming.

2.1 Organic farming

Maiti (2007) stated that the past of organic Horticulture, a part of Agriculture, is very old. Agriculture was discovered by the people of the Neolithic age about 8500 to 9500 years since now. Towards the beginning, the technology of growing crops was very primitive. Since agriculture began on a rich virgin soil, the crops did not need any extra manuring in the earlier days. The invigorating effect of dung, urine and other refuses of the domesticated animals on the crop plants, were observed. The need for manuring was gradually realized. Since the people had to stay close to their field for protecting the crop, Agriculture was instrumental to end their nomadic life. Now there is a chance for the perennial plants, particularly the tree fruits, to have a permanent settlement. This heralded the age of Horticulture. The inorganic materials invaded the Horticulture for about half a century and almost effaced the effect of our organic past of 10,000 years. These fifty years was enough to make our good orchards and fields nearly unproductive, our environment polluted and our body exposed to many serious diseases. The future of Organic Horticulture may start conveniently from the beginning of the 21st century onwards.

Chatterjee (2005) reported that just substituting synthetic fertilizers and pesticides with organic, botanical or microbial inputs is not 'Organic Farming'. True Organic farming is diversified integrated farming, where use of Synthetic Agro-chemicals, Fossil fuels, Deep level groundwater and other non renewable resources, non indigenous plant and animal species etc are minimized and cropping systems are adapted to agro ecological regions, trees animals, aquatic organisms etc are integrated with seasonal crop production, on farm production of biofertlisers, seeds, botanical agents etc are encouraged and soil-water conservation is accorded highest priority. Only live soil and healthy ecosystem can produce stable high yield of nutritious food and generate higher employment per unit of capital invested, though cash returns may be lower per unit of land.

Singh (1999) reviewed the history of organic farming attempts in Malaysia, especially during the last 15 years, covering challenges in production, marketing and consumer acceptance of organic produce [specifically vegetables]. It then presents as overview of the current status, including efforts in kitchen gardening, and efforts by CETDEM to mainstream organic farming. It describes the growing interest in organic produce and the challenges faced in getting better understanding of organic farming and development of Malaysian standards.

Yadav (1999) reported that CWDS is a full member of IFOAM since 1992. Agriculture, in Nepal, is complex due to uncertainty of monsoons, soil heterogeneity, fragile mountains with divergent ecosystems, small and fragmented holdings and farmers with poor socio-economic base. Besides all these constraints, agriculture has remained the dominant economic sector providing employment and livelihood to the majority of the people in the country.

Nepal could not remain outside the domain of Green Revolution technologies and thus, 1960s experienced the introduction of chemical inputs in agriculture system in Nepal. Despite all the efforts of the government with technical, material and financial assistance from the aid agencies, agriculture has declined drastically in Nepal. At present, it is characterized by the diminishing self-sufficiency in food production, economic non-viability, social and ecological unsustainability. This crisis demonstrates the failure of almost four decades of government planning and related activities in the agricultural sector.

Organic/sustainable/regenerative/ecological/nature/alternative/permaculture is the different forms/names or farming practices being promoted dominantly through NGOs in Nepal, but still on a small scale. These initiatives are local resource based for regenerating the already deteriorated farming practices and therefore, being accepted by the farming community and slowly being appraised by the professionals which is a positive indication of its increasing impact in the days to come. The influence of worldwide movement in organic production and marketing is contributing significantly to the promotion of organic agriculture practice in Nepal, although at a slower pace.

At present, there are quite a good number of farmers involved in alternative farming practices and many more are joining after realizing the ill-effects of chemical practices and the good aspects of sustainable farming practices. Organic tea has come to the market and it is being exported. Organically produced cereals, vegetables and seasonal fruits are available in the market. There are concerted efforts in producing organic fine rice for export. More than these market-oriented activities, it is the general awareness and positive inclination of the farming

communities towards organic farming practices which is the positive indication for expanding organic practices in Nepal.

Chander *et al.* (1999) found that the complementary, supplementary and sustainable relationship of manland-cattle Ecosystem in India that is close to organic farming practices. The contribution of indigenous cattle and buffaloes in promoting sustainable agricultural practices has been discussed in the light of the well-defined organic agriculture standards, principles and practices. The organic livestock and organic dairying per se is yet to emerge in Asian countries including India unlike Europe but the potential is immense and this is the essence of the paper.

Debo *et al.* (1999) stated that China is a large agricultural country with a long history of agricultural production. China's traditional farming never used any synthetic chemicals. However, since 1970s, chemicals such as synthetic fertilizers and pesticides have become one of the indispensable agricultural production materials. The heavy use of agro-chemicals over the past three decades caused severe environmental problems. It is found that the input of nitrogen and phosphorus fertilizers from intensive conventional farmland is an important reason for the eutrophication of China's major fresh water lakes. The reduction of biodiversity is also closely related to chemical pesticides.

Organic farming can avoid such kinds of environmental pollution. The promotion of organic farming especially in the ecological sensitive and fragile regions can be greatly helpful for the control of ecological destruction and restoration of these regions. Practical experience in recent years indicates that the pollution of agrochemicals can be effectively controlled and that the population of natural enemies and biodiversity can be significantly increased during the course of organic conversion from conventional farming to organic farming. Organic farming plays an essential role in restoring and improving agricultural environment. Therefore, organic farming has been looked as a new emerging environmental protection industry in China. It is a kind of cleaner production in the agricultural system.

Under the stimulation of the international organic agricultural movement and the support of China's State Environmental Protection Administration (SEPA), the organic food industry has been developing at a high speed in China with the active involvement of organic farmers and traders. It is believed that the development of the organic food industry will play a special role in accelerating the control and restoration of ecologically-destroyed regions, in protecting rural eco-environment and in stimulating the sustainable development of rural society and economy in China.

The professional organic farming and organic food development organization has been established since 1994, named as Organic Food Development Center (OFDC) which is run by SEPA. Having been approved by SEPA, the technical documents which are related to organic food certification, such as "Organic Food Label Management Regulation" and "Techniques Standards for Organic Food Production and Processing" have been implemented during the organic food development process in China. In the light of the latest international standards and the actual farming situations in China, OFDC is now undertaking the modification and development of these technical documents. Organic food label in China has been registered by the Label Bureau of the National Industry and Commerce Administration Agency. Concerning the label application requirements, detailed regulations have been formulated. Since 1997, "Organic Food Times" (a quarterly magazine), the first periodical in China introducing organic food development situations, has been published.

Since 1994, more and more areas in China have been organically converted and cultivated. This was brought about by domestic and foreign organic food trade companies and the active participation of grass root level agricultural production units. OFDC has been involved in organic certification since 1995. To date, OFDC certified products, such as tea, honey, dairy products, soybean, sesame, buckwheat, wheat, walnut, pine seed, sunflower seed, pumpkin seed, aniseed and Chinese herbs, have reached nearly 100 varieties. Among these certified organic foods, some have been exported to northern American, Japan and EU countries, while some are sold in the domestic market. Based on an incomplete survey, the national export value of organic foods has been increased from \$ 0.3 million in 1995 to more than \$ 8 million in 1997. At the end of 1998, there are more than 30 companies involving organic food production and marketing, and the organic food export value has reached \$ 10 million. It can be assumed that the annual rate of increase will not be below 30% in the coming years.

Organic farming in China has been mainly driven by international market demands. Most of the organic certified operators in the past were either from remote traditional farming areas where little chemicals have been used or from new reclaimed farmlands. Nevertheless, the conversions from conventional farming to organic farming in developed eastern part of China, where large amounts of chemical fertilizer and pesticide were used, have been carried in order to solve the rural environmental problems in these areas and to meet the demands for high quality organic foods.

The State Environmental Protection Administration (SEPA) is the administrative department under the State Council responsible for the management of the organic industry of the whole country. The steering Committee

on Development Organic Industry is the national supervising organization composed of members from relevant ministries and committees under the State Council. Its responsibilities focus on: steering development and trends of the organic industry in China and solving major problems encountered in the process; co-coordinating the functions of relevant departments; supervising and managing the organizations and professionals engaged in organic products certification and promulgating relevant laws and regulations.

OFDC is the national organic certifier in China. In recent years, foreign certifiers from Europe and northern American and/or their representative offices in China are also actively working in China for the purpose of export oriented organic certification. This certainly stimulates the introduction of foreign organic farming concepts and requirements to China and the exportation of organic food from China. The lack of a unified quality control and supervision for organic certification poses a problem. Thus the Chinese Government is drafting the "Regulations on Organic Industry Management" which will cover organic production, processing, certification and marketing. All of the organic producers, processors, certifiers and traders must comply with this regulation in case it becomes effective.

Organic farming development in China also receives the supports from Chinese and German governments. The Sino-German co-operation project - "Promotion of Organic Farming in China" started in November of 1997 and has been mainly implemented by OFDC. The main purposes of this project are to introduce and practice organic farming concept in selected areas, to establish an organic farming advising service system and to build OFDC's capabilities in organic inspection and certification.

Xiaodong Yang, Yuming Zhang and Zhengkun Wang (1999) observed that located amidst the Dabi Mountains, west of Anhui Province, Yuexi County is one of the most economically backward counties in China. At the end of 1997, a Sino-German cooperative organic farming development project was launched in Yuexi. With the financial and technical support of GTZ and OFDC, a number of teas, kiwi and rice growing farmers began to engage themselves in this brand new practice of setting up an organic farming system and exploring a new road to poverty elimination, increase in job opportunity and improvement of the ecological environment in poverty-stricken regions.

2.2 Application of organic farming

In yuexi, traditional farming enjoys a long history. Since the late 1960s, when conventional farming (or petrol farming) found its way into the domain of agricultural production, large amounts of material input plus matching technical renovation has drastically increased the yield of grain crops and some cash crops, helping solve the problem of food shortage in this cold high mountain region. However, while the farmers were still earnestly carrying on the conventional farming, another problem appeared, that is, the increasing dependence on the input of external chemical material, which has resulted in less biodiversity, deteriorated soil fertility and aggravated hazard of pest and diseases. For years, they have been wandering in difficulty between the conventional farming and the traditional one.

In 1997, with the help of the impetus of the Sino-German cooperative organic farming development project, 76 farmer households in two natural villages decided to turn their production of tea and kiwi into organic. After attending extensive training courses, they worked out a plan for organic conversion under the guidance of experts. In line with the OFDC standards, they have developed a complete new set of farming techniques and established an organic farming system with fertility improvement and plant protection as focus. Also developed were the practice of organic farming techniques as kernel, and inner nutrient substances in benign circulation. For the past two years, the farmers have been using large amounts of green manure, pig dung's, composted manure, and mineral powders instead of chemical fertilizers, and implementing diversified plantation and comprehensive measures to control pest and diseases instead of the application of herbicides and pesticides, with significant economic and environmental benefits. With the scientific promotion of the organic conversion plan and the organic farming a cooperative and supervisory role, the organic farming movement will be extrapolated to the neighbouring areas through demonstration.

By various means, publicity is launched to popularize the knowledge of organic farming and organic food, so as to improve the awareness of all sectors of the society. Further on, training of various forms is organized to educate people so as to renovate their ideology about the situation of the country, resources, living, ecological morality and value.

In regions with better natural ecological conditions, it is easier to popularize organic farming, since it is faster to set up the system and easier to search out a complete set of theory and methods to guide the farming movement in other regions. In regions with higher commercial rate of the produce, it is easier to establish the importance of product quality in market competition, thus further promoting the establishment of the organic farming system.

It is essential to adopt an incentive mechanism so as to divert a large group of experts into the development of practical organic farming technique and the solution of technical problems in organic conversion. It is also necessary to readjust relevant industrial policies, such as supporting bio-pesticides and organic manure industries, so as to solve problems in the supply of matching material. Policies must be formulated for the protection of resources and the environment.

Hashimoto (1999) pointed out that Teikei is the organic movement that began in Japan 25 years ago. It means co-partnership between producers and consumers. When we talk about organic agriculture, we often tend to focus only on the production system or its methodology. Those consumers and producers who changed production method is not enough to realize the society where agricultural production and environment keep in harmony came together and formed the Teikei movement. In Teikei system, all varieties of produce are distributed directly by the producers. The price and planting area are discussed with consumers and producers considering the profitability of farmers and the diet of consumers. Many consumers are required to visit and help farmers on the field to promote mutual understanding. Much of the cost for marketing, such as packing and selecting, are reduced to minimum so that the final prices become cheaper.

Recently, because the market share of organic produce increased in certain countries, international organic trade has grown worldwide. However, some criticize that this trend leads to a situation where poorer countries serve luxurious organic produce to richer countries causing the so called green-colonization.

The motto of the Teikei system is local production and local consumption. In this workshop, we introduce the system, philosophy, and history of Teikei to give some ideas of forming local marketing system in many countries as well as exchange of information in the promotion of consumer-producer partnership in different countries.

Dilipkumar *et al.* (1999) conducted an investigation on the IFOAM '99 program embarked on a comparative research in 1996 to compare organic, traditional and conventional farm systems in Asia, Africa, and Latin America.

This paper presents the results of two years of data collection and analysis of four case studies and key learning points emerging from this comparative research from India. NGOs and farmers were selected for data collection after a workshop where the methodology and selection criteria were discussed. AME was selected to guide the process owing to past experience in conducting similar comparative research.

The FARMS methodology developed by AME has been adapted to implement this comparative study. Data collection was organized at a two week interval. Three training workshops were conducted imparted to data collectors. The farmers and NGO coordinators also participated in a sharing workshop to arrive at a common understanding on data collection and to understand the farming system. The participating NGOs send the data to AME every two weeks. Feedback is provided to fill data gaps and improve data quality. The FARMS program gives an opportunity to compare farm sustainability on ecological criteria (nutrient balance, energy balance, ground water balance and bio-diversity) at farm level apart from the financial, production and labour performance on-farm. The influence of the household system on the production system is studied through detailed socio-economic data collection.

Comparison from the case study gives an impression that the organic farms fare better on the financial and ecological criteria. The gross margin profits and the income per Labour Day are higher. Conventional farms have a negative nutrient balance for major and micro-nutrients and low energy use efficiency ratio which negatively influences sustainability. For the major comparable crops on the farm, there is not much difference in the yields. Organic matter application holds the key to long-term sustainability. Even the organic farms in these case studies have not applied the minimum quantity or organic matter per unit area. Organic and conventional farms have a smaller family size, while the traditional farms have a larger family size. This influences the way labour is used on the farm. Organic farms go in for labour saving techniques and integration of horticulture on the farm. The traditional farms use family labour and grow food crops to meet the family food requirement for which they also lease on land. The case studies reveal that the role of women on the farm in decision-making and sharing of work is influenced by the caste structure prevalent in India rather than by farm types.

Thus, organic farms focus on the self-sufficiency on the production system; traditional farms go for family food self-sufficiency while the conventional farms go for financial self-sufficiency.

The promotion of the Natural Healing Program as the best way to be healthy is based on facts. In Indonesia, various diseases and morbidity of drug intoxication caused by insecticides or chemical fertilizers in modern agriculture is increased.

In the Natural Healing Program, there is something interesting to be done to keep the balance of ecosystem in which the involvement of people is very important. In the end of 1996, TIDUSANIY Foundation has been built based on the definition of health by WHO 1946, "that to be healthy is not just physically but also mentally and social as well". The goal of TIDUSANIY Foundation is to make people healthy through Organic Agriculture, the best system to save our environment and food production. We have to produce pollution free foods, the healthy foodstuff we need. Changes the attitude from Conventional Agriculture to Organic Agriculture needs time and energy. The 3 steps of TIDUSANIY's strategies are (1) to teach people the importance of being healthy, what health food is and how to obtain it, (2) to make people aware of the benefits of correct soil management to be able to produce health foods. And that wrong soil management could destroy our land and nutrients in our foodstuff, (3) To urge the people to work hard to produce health foodstuff by becoming part and parcel of Organic Agriculture in Indonesia.

The methodology used to approach the community was to provide the facts that Organic Agriculture is the best system to keep the environment, soil and everything growing on it such as plant, animals and human, alive and healthy. TIDUSANIY Integrated Organic Farming acts as the center of the Organic Agriculture program for the farmers.

The PHD Foundation has been promoting activities that would help bring about Peach and Health among grassroots people in Asia and South Pacific through human development

Our PHD movement aims to realize the world where we could make joint effort in solidarity to uplift grassroots people's life in Asia and South Pacific as well as in Japan. Based on the principle "LIVING IS SHARING"-by sharing whatever we have in terms of time, skill knowledge and money, we can join the PHD movement and bring light to every corner of the world.

PHD, the International Human Service Movement was advocated and initiated by Noburo Iwamura in 1981. He was contributed in medical missions mainly in Nepal and other Asian countries since 1962.

We know there are a lot of grassroots people and their leaders in the third world, who are striving of uplift their lives through their own self-reliant effort. In Japan, there are groups who are actively tackling the various problems with fundamental solutions. If grassroots people, both in developed and developing countries, could learn each other, and make joint-efforts for the improvement of their respective societies or communities by sharing values, experiences, knowledge and skills, then our world community will be able to find solutions for survival. In this context, we recognize PHD movements as catalysts to bring about PEACE and HEALTH to all Asians through HUMAN DEVELOPMENT as well as the formation of solidarity on the grassroots level. We believe that the practice of our principle "LIVING IS SHARING" will ensure this process of the betterment of the world.

For important markets for organic products, certification is required for appropriate market access. In an increasing extent, this is also legally required. Certification requirements for organic agriculture are developed by the organic sector itself (IFOAM Accreditation), drawn from generic product certification requirement (ISO 65) or integrated in state control systems (like in Denmark). Today, focus is on the legal aspects of certification. But to be legal may not enough: To believe that legal requirements are most important in the long run may be a mistake. Almost all other sectors show that buyers are extending their requirements above the legal level. At the same time, there are efforts to harmonise standards and certification and strong moves to develop local systems: One indication is the new German Mark for organic and the EU logo for organic production. These marks are collective marketing marks rather than certification marks. Two big questions for the future are (1) how to accommodate the need for regional variations within an international framework? Organic Agriculture is and should be based on local conditions. Will producers and consumers in distant markets accept that products are produced under slightly different conditions in other countries? What are the procedures for assuring that such regional variations is still "in-line" with the organic concepts? (2) are there possibilities to simplify certification procedures and requirements in order to reduce the workload and the costs since they will all have to be recovered in the market place?

Costs for certification are high and are likely to increase if there is no counter power to the constant requests for more control. Some kind of cost-benefit analysis needs to be introduced to ensure that the costs are not out of proportion to the value of the products or the risks of fraud.

This paper introduces the status quo of organic agriculture development and certification programs (organic standard, certifiers, certified products, market development, etc.) in China. The certification programs of small farmers in China, including general information of the certification procedures and problems, are also mentioned and discussed.

The last part of the paper presents practical suggestions and questions raised by the public on the development of certification of small farmers in China.

The application of organic farming techniques, derived largely as they have been from a Euro centric agricultural environment display a remarkable versatility when applied to the Australian agricultural and natural environment. Whilst there are clear and notable ecological realities, which require special interpretation of organic standards, the principles and practices of organic agriculture are robust and capable of directing Australian agriculture towards a more sustainable future. Furthermore, the proper application of organic standards and practices

is capable of achieving both processes and endpoints, which satisfy national environmental, social and economic policies.

Chapter III

Profile of the study area

3.1 Profile of the West Bengal state

West Bengal is one of the Eastern States of India extending from 21°31' and 27°14' North latitudes and 86°35' and 89°53' East longitudes. The land frontier of the State touches Bangladesh in the east, and is separated from Nepal in the west. Bhutan lies in the north-east, while Sikkim is on the north. On the west there are the states of Bihar, Jharkhand, while in the south lies Orissa, and the Bay of Bengal, washing its southern frontiers. The Ganges and its numerous tributaries have created fertile regions in the State. West Bengal is rich in natural resources and it has an advantage of six agro-climatic regions, fertile soil of vast bio-diversity and consistent irrigation facilities.

The agro-climatic zones were categorised on the basis of landform hydrology – soil combinations as well as climate variations. These are (1) Northern Hill Zone, (2) Terai – Tista Alluvial Zone, (3) Gangetic Alluvial Zone, (4) Vindhya Alluvial Zone, (5) Coastal Saline Zone, and (6) Undulating Red and Laterite Zone.

The Ganges is the main river of West Bengal. While, one of its branches enters Bangladesh as the *Padma*, the other flows through West Bengal as the Bhagirathi and Hooghly River. The other major rivers like Teesta, Torsa, Jaldhaka and Mahananda are in the northern hilly region. Rivers such as the Damodar, Ajay and Kangsabati have flown through the western plateau region, while the Gangetic Delta and the Sundarbans area have formed a network of numerous rivers and creeks.

As per Census 2001, West Bengal has a population of 8.02 crores, The estimated population of West Bengal as on 1st October 2005 stands at 8.53 crore and it is expected to reach 8.64 crore in 1st October 2006. West Bengal has a population density of 904 inhabitants per square kilometre making it the most densely populated state in India. The state contributes 7.81 percent of India's population. The population of West Bengal has increased from 4.43 crores in 1971 to 8.01 crores in 2001. However, the population growth rate of the state during 1990-91 to 2000-01 is 17.84 percent which is lower than the national growth rate of 21.34 percent. According to 2001 census, rural population of West Bengal was 72.03 percent of the total population has been much more than the rural population, exhibiting a gradual trend of rural to urban migration (Table 3.1). Historically West Bengal has been an area under Permanent Settlement during the British governance. A fertile area in the Ganjetic plains associated with a high population density has been the very feature of West Bengal. This gave rise to fragmentation of arable land and increase of the small holdings in the agrarian scenario of the state.

Demographic features		Total number	
	Male	4,14,65,985	
Population	Female	3,87,10,212	
	Total	8,01,76,197	
Scheduled Castes (%)		23.02	
Scheduled Tribes (%)		5.50	
Population in age group 0-6 (%)		14.24	
Literacy (%)		68.64	
Population density		903	
Sex ratio		934	

Table 3.1: Demographic profile of West Bengal

Source: Census, 2001

There has been significant continual increase in the decadal literacy rates across both rural and urban areas of West Bengal. The present literacy rate is 69.22 percent. The proportion of people living below the poverty line in 1999–2000 was 31.85 percent.

Agriculture plays such a pivotal role in the State's economy that nearly three out of every four persons is directly or indirectly involved in agriculture. As such agriculture is the primary occupation of the state and the main source of income for the people of West Bengal. About 70 percent of the total population depends on farming for their livelihood. Though the state has only 3 percent of cultivable land, it accounts for 8 percent of the total food grains produced in the nation. The total food production in the State in 2006-07 was 15820 thousand tonnes. During 2006-07, the production of rice was 14745.9 thousand tonnes, of wheat 799.9 thousand tonnes and of pulses 154.4 thousand tonnes.

The net area under cultivation in West Bengal is about 52, 96,005 ha with cropping intensity of 182 percent. There are 67.89 lakh operational holdings of different land size classes with an average size of 0.82 ha. The cropping pattern of the state is dominated by food crops, which account for about 87 percent of the area under principal crops in the state. The major crops grown in the state include Rice, Wheat, Jute, Tea, Potato, Sugarcane, Pulses and Oilseeds etc. The state is the highest producer of rice in the nation.

In case of area under cultivation, West Bengal has faced a gradual shrinkage in the net cropped area over the decades from 54.17 lakh hectares in 2000-01 to 52.96 lakh hectares in 2006-07 (as per provisional estimates) as reflected in Table-3.2. However, this has been more than equally compensated by a sharp rise in the cropping intensity of the state from 168 percent to 182 percent, which in turn has resulted in an increase in the gross copped area from 91.16 lakh hectares to 96.34 lakh hectares over the same period.

Year	Net cropped area (ha)	Gross cropped area (ha)	Cropping intensity (%)
2000-01	5417382	9116597	168
2001-02	5521576	9778815	177
1002-03	5354196	9510423	178
2003-04	5427672	9661325	178
2004-05	5374704	9522930	177
2005-06	5294702	9532607	180
2006-07(P)	5296005	9634535	182

Table 3.2: Net cropped area, gross cropped area and cropping intensity in West Bengal

Source: Directorate of Agriculture, Government of West Bengal

West Bengal has been a state where IADP was launched in a few districts with new varieties of seeds for rice. It was in the eve of so-called 'green revolution'. But in course of 60's the new technology in agriculture could not make much headway in the state. It was only after mid 80's the production frontier in agricultural sector seemed really to increase at an appreciable rate.

3.2 Profile of the North 24-Parganas district

The district North 24-Parganas has a geographic extension from 22°8"N latitude to 23°16"N and 88°18"E to 89°4"E longitude covering an area of 4,094 sq. Km. (4,317.39 sq. km. as per R. D. I. West Bengal 1991). It is bounded on the north and east by the international boundary with Bangladesh. In its south and south-west lies the district South 24-Parganas and Kolkata, river Hugli on the west (adjoining Haora and Hugli districts) and district Nadia on north-west.

Tropical humid climate prevails over this southern part of West Bengal influenced by the tropical monsoon system. The south west monsoon stream arrives here by the middle of June (Asaarh in Bengali calendar) commencing the actual rainy season which continues till September. During this period almost 2/3rd of the normal annual rainfall (1565 mm) occurs corresponding with a higher temperature and very high relative humidity. Hence this is the period of sultry weather, flood and water logging. On the other hand a good monsoon rain indicates a productive year for the dominantly agrarian economy of the district. Area of the district is 4094 sq.km.

North 24-Parganas is the second most populous district in the state and in India as well. It is the second most urbanized district of the state having more than 54.0 per cent of the total population in the urban areas, whereas 28 per cent of the state's population lives in urban areas. The district North 24-Parganas is in alarming condition due to high population growth of 22.7 percent, which is fifth highest in the state. The district has the third highest density of population (2,182 persons per square kilometre) in the state. The sex ratio of the district (926) is well below the state sex ratio (934). Literacy rate of the district is 78.1 per cent thereby making its position 2nd in the state (Table 3.3).

Physiographically the district encompasses both moribund and mature parts of the Ganges delta. The delta forming process by river Hugli or Bhagirathi, which is still active down south, which has made the territory of this district crisscrossed with a complex network of tributaries, distributaries, minor creeks and channels- charged with local run-off and tidal inflow. The district has been divided into three physiographic zones, viz., Ichhamati-Raimangal Plain, North Bidyadhari Plain, and The flat raised alluvium strip along the Hugli River on the west forming the North Hugli Flat. The district is primarily composed of recent alluvium soils of great thickness deposited during development of the Gangetic Delta, which is immensely important for agricultural activities in the district.

Demographic features		Total number
	Male	46,38,756
Population	Female	42,95,530
	Total	89,34,286
Scheduled Castes (%)		20.6 %
Scheduled Tribes (%)		2.2 %
Literacy (%)		78.1 %
Main worker (%)		29.40 %
Population density/sq.km		2182
Sex ratio		926

Source: Census, 2001

Tropical humid climate prevails over this southern part of West Bengal including North 24-Parganas influenced by the tropical monsoon system. The southwest monsoon stream arrives here by the middle of June commencing the actual rainy season, which continues till September. During this period almost 2/3rd of the normal annual rainfall (1565 mm) occurs. The two following months, October and November is the autumn season, while the winter season comprises of December to February. It is followed by a short spring season with gradual increase in temperature till the middle of April. Then the actual summer sets in (April-May) and continues till the outburst of the southwest monsoon rains.

Agriculture in North 24-Parganas has witnessed a remarkable increase in food grain production, which currently stands at 7.38 lakh tones. The North 24-Parganas District also contribute significantly towards the West Bengal horticultural produces and is taking shape as a 'Horticulture Hub' of West Bengal. The commercial production of vegetables like tomato, cabbage, cauliflower, pea, brinjal, ladies finger, beans, potato etc. has grown rapidly over the years owing to favourable agro-climatic conditions of the district. The region also offers excellent conditions for commercial production flowers like rose, tuberose, marigold and gladioli. Fruits like mango, banana, papaya, pine apple, guava, litchi etc. are also grown in the region in commercial scale (Table 3.4).

Table 3.4: Agricultural	profile of North 24-Parganas district

Agricultural features		North 24 Parganas district	
Land (ha)	Reporting area	3,86,524	
	Cultiviable land	2, 64,607 (68.46 %)	
	Non-cultiviable land	1,09,935 (28.44 %)	
	Forest area	11,982 (3.10%)	
	Plantation area	3,44,840	
Cultivators (%)	·	10.40 %	
Agricultural labours (%)	11.80 %	
Major crops		Rice, Wheat, Pulses, Oilseeds, Vegetables	
Total foodgrains produc	ction ('000 tonnes)	769.20	
Total pulses production	('000 tonnes)	6.50	
Total oilseeds production	on ('000 tonnes)	52.40	
Total vegetables production ('000 tonnes)		909.10	
Cropping intensity (%)		201	

Source: Census, 2001 and Statistical Abstract, 2008

3.3 Profile of the Jalpaiguri district

Jalpaiguri district is an ethnically diverse and culturally rich district that lies at the foothills of Darjeeling. The district is sharply divided by the river Teesta and is crisscrossed by river Torsa, Mahanda and a number of hill rivulets. The river Sankosh demarcates the eastern border with Assam. The district lies between 26°16' and 27°0' north Latitude and between 88°4' and 89°53' east Longitude. The district is considered under terai – tista alluvial zone in respect of agro-climatic zone of West Bengal. The total geographical area of the district is 6,227 sq. km. Out of this, an area of 1790 sq.km under forest and an area of 1987 sq km under tea garden has been reported. The district has three sub-divisions with thirteen community development blocks and seventeen police stations. Annual average rainfall of the district is 3736 mm and normal temperature varies from a maximum 37°C to a minimum 6°C.

Jalpaiguri is the largest district by area in the northern part of the state West Bengal. It is the most urbanized district of the North Bengal having 34,01,173 total population, consisting 17,51,145 male and 16,50,028 female population. The district has 36.71% schedule caste and 18.87% schedule tribe population. The density of population of the district is 546 persons per square kilometer. The sex ratio of the district (942) is high of the state sex ratio (934). Literacy rate of the district is 54.07 per cent thereby making its position 2nd among the districts of North Bengal (Table 3.5).

The soil type of the district is primarily composed of recent alluvium by nature of great thickness deposited during development of the deltas, which is immensely important for agricultural activities in the district.

Demographic features		Total number	
	Male	17,51,145	
Population	Female	16,50,028	
	Total	34,01,173	
Scheduled Castes (%)		36.71 %	
Scheduled Tribes (%)		18.87 %	
Literacy (%)		54.07 %	
Main worker (%)		30.00 %	
Population density / sq.km		546	
Sex ratio		942	

Table 3.5: Demographic profile of Jalpaiguri district

Source: Census, 2001

Tropical humid climate prevails over the northern part of West Bengal including Jalpaiguri district influenced by the tropical monsoon system. The southwest monsoon stream arrives here by the middle of June commencing the actual rainy season, which continues till September. During this period almost 2/3rd of the normal annual rainfall (4000 mm) occurs. The two following months, October and November is the autumn season, while the winter season comprises of December to February. It is followed by a short spring season with gradual increase in temperature till the middle of April. Then the actual summer sets in (April-May) and continues till the outburst of the southwest monsoon rains.

Agriculture in Jalpaiguri district has witnessed a remarkable increase in food grain production, which currently stands at 4.39 lakh tones. The Jalpaiguri district also contributes significantly towards the West Bengal horticultural produces by producing 8.36 lakh tones vegetables. The commercial production of vegetables like tomato, cabbage, cauliflower, pea, brinjal, ladies finger, beans, potato etc. has grown rapidly over the years owing to favourable agro-climatic conditions of the district. The region also offers excellent conditions for commercial production flowers like rose, tuberose, marigold and gladioli. Fruits like mango, banana, papaya, pine apple, guava, litchi etc. are also grown in the region in commercial scale. The district is claimed for favour of pulses and oilseeds production in the state also (Table 3.6).

These two districts, from two different agro-climatic zones of the state, were selected for the purpose of the present study. As we mentioned earlier that sample at the farm level were selected for the survey.

3.4 Characteristics of selected farmers

The socio-economic characteristics of the sample farmers would provide the background information and resource endowment position of the farmers in the selected area. This includes the information about composition of family, size of land holding, level of irrigation, number of livestock, etc. These factors are crucial for bringing about desirable changes in the farm economy.

It is evident that the average family size of organic farming household range from 4.60 persons to 5.33 persons in NGO area and 5.27 persons to 5.40 persons in Government area. The overall average family size is 5.18

persons per organic farm family, whereas the average family size is 4.56 persons per inorganic farm family. Thus, average family size of organic farm households is found little higher as compared to inorganic farm households of entire study area (Table 3.7).

Turning to land holdings, it appears that the average size of land holdings under organic farming of the selected farm households is from 0.32 ha to 0.84 ha in NGO area and 0.47 ha to 0.86 ha in Government area. The overall average size is 0.60 ha per organic farm.

Table 3.6: Agricultural profile of Jalpaiguri district

Agricultural Features		Particulars	
Land (ha) Reporting area		6,22,700	
	Cultiviable land	3,55,685 (57.12 %)	
	Non-cultiviable land	88,015 (14.13%)	
	Forest area	1,79,000 (28.75 %)	
	Plantation area	2,02,190	
Cultivators (%)		25 %	
Agricultural labour	rs (%)	16 %	
Major crops		Rice, Wheat, Pulses, Oilseeds, Vegetables	
Total food grains p	roduction ('000 tonnes)	439.40	
Total pulses production ('000 tonnes)		2.20	
Total oilseeds production ('000 tonnes)		13.20	
Total vegetables production ('000 tonnes)		836.28	
Cropping intensity (%)		169	

Source: Census, 2001 and Statistical Abstract, 2008

Table 3.7: Family members of the sample farms

		anic farms	Inor	ganic farms
Catagory of forms	Sample size	Family size (no.)	Sample size	Family size (no.)
Category of farms) area	
		North 24 Par	ganas district	
Sub-marginal	12	4.60	11	4.00
Marginal	3	4.60	3	4.33
Small	-	-	1	5.00
Overall	15	4.60	15	4.13
		Jalpaigu	ri district	
Sub-marginal	7	4.43	4	6.33
Marginal	2	9.00	8	4.71
Small	6	5.17	3	4.40
Overall	15	5.33	15	4.93
	Government area			
	North 24 Parganas district			
Sub-marginal	8	4.78	10	4.11
Marginal	6	6.00	5	4.00
Small	1	6.00	-	-
Overall	15	5.27	15	4.07
	Jalpaiguri district			
Sub-marginal	3	6.00	6	4.67
Marginal	7	5.67	8	5.17
Small	5	4.80	1	5.00
Overall	15	5.40	15	4.95
	All			
Sub-marginal	30	4.75	31	4.47
Marginal	18	5.97	24	4.67
Small	12	5.09	5	4.64
Overall	60	5.18	60	4.56

Source: Field survey

In the inorganic system, the holding size is 0.41 ha to 0.83 ha in NGO area and 0.47 ha to 0.58 ha in Government area with an overall average of 0.54 ha. The larger size of organic farm is the cause of more number of small farmers in the sample under organic farming system (Table 3.8).

It appears from field level data that farms, both organic and inorganic, in North 24 Parganas get irrigation to the tune of 100 per cent irrespective of the agencies that they are working under. Hence, in North 24 Parganas the

farms under both Government and Non-government supervision have the advantage of complete irrigation. In contrast, the percentages of irrigated area in Jalpaiguri district are 41 per cent in NGO area and 75 per cent in Government area under organic system while percentages of irrigated land under inorganic system are 28 per cent and 69 per cent respectively (Table 3.9).

In view of pivotal role of livestock in upgrading the ecology and economy of the rural areas and to become the main as well as only source of FYM, the most vital input for manuring the organic field and improving the soil physical condition, the livestock population has been examined.

	Organie	c farms	Inorga	nic farms	
Coto o con con filmano	Sample size	Land size (ha)	Sample size	Land size (ha)	
Category of farms		NGO	area	•	
		North 24 Par	ganas district		
Sub-marginal	12	0.19	11	0.23	
Marginal	3	0.59	3	0.80	
Small	-	-	1	1.25	
Overall	15	0.32	15	0.41	
		Jalpaigu	ri district		
Sub-marginal	7	0.40	4	0.38	
Marginal	2	0.70	8	0.76	
Small	6	1.39	3	1.20	
Overall	15	0.84	15	0.83	
	Government area				
	North 24 Parganas district				
Sub-marginal	8	0.31	10	0.33	
Marginal	6	0.62	5	0.67	
Small	1	1.12	-	-	
Overall	15	0.47	15	0.47	
	Jalpaiguri district				
Sub-marginal	3	0.40	6	0.40	
Marginal	7	0.76	8	0.64	
Small	5	1.15	1	1.12	
Overall	15	0.86	15	0.58	
	All				
Sub-marginal	30	0.29	31	0.31	
Marginal	18	0.68	24	0.71	
Small	12	1.27	5	1.19	
Overall	60	0.60	60	0.54	

Table 3.8: Land size of the sample farms

Source: Field survey

The data clearly reveal that as compared to inorganic farm, the average number of livestock per organic farm is not higher in the study area. It has been found that overall average numbers of livestock are 4.12 per organic farm and 4.87 per inorganic farm (Table 3.10).

3.5 Annual family income

To get an account of the socio-economic position of the farming households within the hierarchy of the village economy family income and household's income from farming sources is analyzed.

Table 3.11 reveals that the family income is lower for sample organic farms than that of sample inorganic farms in both North 24 Parganas and Jalpaiguri districts under NGO area. The annual earning of sample organic farms is to the tune of Rs. 37,733.50 and Rs. 54,814.05 in North 24 Parganas and Jalpaiguri districts respectively. On the other hand, earning of the sample inorganic farms is Rs. 39,608.35 and Rs. 60,045.97 in the said districts respectively.

The reverse picture is observed in the farms under Government jurisdiction. The sample organic farms earn higher income per year than sample inorganic farms in both the districts. Organic farms earn Rs. 46,518.26 in North 24 Parganas and Rs. 57,941.40 in Jalpaiguri while income of the inorganic farms registers Rs. 37,827.28 and Rs. 42,790.58 in the two districts respectively. The overall average annual family income of the sample households in the study area was Rs. 48,012.79 for organic farm, where as it was Rs. 43,732.98 for inorganic farm making an approximate higher income of Rs. 4,279.81 of organic farm over inorganic farm.

3.6 Annual farm income

It is evident from that the annual farm income was lower for organic sample farms in both North 24 Parganas (Rs. 33,240.16) and Jalpaiguri (Rs. 51,514.05) districts than that of inorganic sample farms (Rs. 34,390.23 in North 24 Parganas and Rs. 54,052.64 in Jalpaiguri district) working within NGO's jurisdiction. Turning to **Table 3.9: Irrigated land of the sample farms**

	Or	ganic farms	In	organic farms		
Category of farms	Sample size	Irrigated land (ha)	Sample size	Irrigated land (ha)		
Category of farms	NGO area					
		North 24 Par	ganas district			
Sub-marginal	12	0.19 (100.00 %)	11	0.23(100.00 %)		
Marginal	3	0.59(100.00 %)	3	0.80(100.00 %)		
Small	-	-	1	1.25(100.00 %)		
Overall	15	0.32(100.00 %)	15	0.41(100.00 %)		
		Jalpaigu	ri district			
Sub-marginal	7	0.13 (33.28 %)	4	0.05 (10.28 %)		
Marginal	2	0.27 (38.89 %)	8	0.22 (28.86 %)		
Small	6	0.74 (51.78 %)	3	0.45 (37.03 %)		
Overall	15	0.40 (41.43 %)	15	0.26 (27.86)		
	Government area					
	North 24 Parganas district					
Sub-marginal	8	0.31(100.00 %)	10	0.33(100.00 %)		
Marginal	6	0.62(100.00 %)	5	0.67(100.00 %)		
Small	1	1.12(100.00 %)	-	-		
Overall	15	0.47(100.00 %)	15	0.47(100.00 %)		
	Jalpaiguri district					
Sub-marginal	3	0.27 (66.67 %)	6	0.27 (66.67 %)		
Marginal	7	0.58 (76.26 %)	8	0.43 (67.49 %)		
Small	5	0.85 (74.45 %)	1	0.92 (82.14 %)		
Overall	15	0.65 (75.02 %)	15	0.40 (68.97 %)		
		А	11			
Sub-marginal	30	0.22 (75.86 %)	31	0.27 (87.10 %)		
Marginal	18	0.56 (82.35 %)	24	0.46 (64.79 %)		
Small	12	0.82 (64.57 %)	5	0.70 (58.82 %		
Overall	60	0.44 (73.33 %)	60	0.38 (70.37 %)		

Source: Field survey

Table 3.10: Number of livestock of the sample farms

	Org	ganic farms	Inor	ganic farms	
Catalana af famma	Sample size	No. of livestock	Sample size	No. of livestock	
Category of farms		NG	O area		
		North 24 Pa	arganas district		
Sub-marginal	12	3.60	11	6.08	
Marginal	3	4.80	3	4.33	
Small	-	-	1	4.00	
Overall	15	4.00	15	5.59	
		Jalpaig	uri district		
Sub-marginal	7	2.86	4	5.33	
Marginal	2	4.00	8	4.00	
Small	6	5.83	3	2.20	
Overall	15	4.20	15	3.67	
	Government area				
	North 24 Parganas district				
Sub-marginal	8	4.67	10	3.67	
Marginal	6	3.00	5	4.17	
Small	1	4.00	-	-	
Overall	15	4.07	15	3.87	
		Jalpaig	uri district		
Sub-marginal	3	4.00	6	5.44	
Marginal	7	4.33	8	6.67	
Small	5	5.00	1	5.00	
Overall	15	4.53	15	6.07	
			All		

Sub-marginal	30	3.75	31	5.08
Marginal	18	3.93	24	4.97
Small	12	5.33	5	3.12
Overall	60	4.12	60	4.87

Source: Field survey

Government area, it was found that organic farm income was higher than inorganic farm income in both the districts. The organic farm income was Rs. 33,878.26 and Rs. 50,214.73 in North 24 Parganas and Jalpaiguri district, respectively, whereas the inorganic farm income was Rs. 31,660.61 and Rs. 37,882.81 in the said districts, respectively. However, the overall average annual farm income was Rs. 41,360.05 for organic farm against Rs. 37,982.51 for inorganic farm, making a difference of Rs. 3,377.54 between annual organic and inorganic farm income (Table 3.12).

Table 3.11: Annual family income of the sample farms

	0	rganic farms	Inc	organic farms	
Cotore of former	Sample size	Family income (Rs)	Sample size	Family income (Rs)	
Category of farms	<u> </u>	NGO) area	•	
		North 24 Pa	rganas district		
Sub-marginal	12	33,254.68	11	31,557.95	
Marginal	3	46,691.14	3	54,358.47	
Small	-	-	1	83,912.42	
Overall	15	37,733.50	15	39,608.35	
		Jalpaigu	ri district		
Sub-marginal	7	33,670.32	4	33,453.57	
Marginal	2	59,968.50	8	59,133.39	
Small	6	77,763.58	3	77,279.04	
Overall	15	54,814.05	15	60,045.97	
	Government area				
	North 24 Parganas district				
Sub-marginal	8	43,625.59	10	30,574.24	
Marginal	6	47,658.18	5	48,706.83	
Small	1	66,852.72	-	-	
Overall	15	46,518.26	15	37,827.28	
	Jalpaiguri district				
Sub-marginal	3	30,300.60	6	35,580.48	
Marginal	7	56,050.68	8	43,377.93	
Small	5	66,872.84	1	81,352.34	
Overall	15	57,941.40	15	42,790.58	
			A11		
Sub-marginal	30	35,821.83	31	32,263.77	
Marginal	18	52,128.57	24	51,112.50	
Small	12	72,316.53	5	79,420.38	
Overall	60	48,012.79	60	43,732.98	

Source: Field survey

It is important at this juncture to enquire whether these sample farmers are primarily dependent on farming business for their livelihood or they have alternative opportunities of earning. An important point may have to be noted here in this regard that the overall income of Rs. 41,360.05 come annually from farm sources out of total annual family income of Rs. 48,012.79 of the sample organic farms in the study area. This figure clearly indicates that the lion share of family incomes (86.14%) of the sample organic farms is derived from farm sources. Inorganic farmers also depend on farming activities as a means of their livelihood where 86.85 per cent of annual family income being derived from farm sources. Hence, the main source of earning for all the farmers, irrespective of their types and size-classes, is still the farming sector (Table 3.13).

It is in this background the opportunities and the relative economies and diseconomies of organic farming calls for a special attention. It is noteworthy to mention at this juncture that West Bengal features an agrarian sector where there exists a predominance of smallholdings and a large section of rural population depending solely on for their livelihood. The size of average holdings faces a sharp decline over the decades. Moreover, the agricultural productivity that experienced a considerable increased since mid 80's has reached a plateau in the new millennium. Technology in agriculture has gone through a substantial change with increasing dependence on chemical technology. This was a big leap forward towards achieving self- sufficiency in agriculture and food security of the population dependant on it. But at the same time the whole process of chemical technology had its adverse effect on

degrading the soil and the nutrients therein in the long run. Consideration of health hazards arising out of such usage of chemicals comes into fore. It is in this background the present study enquiring into the alternative technology in agriculture and its prospects derives attention.

Table 3.12: Annual farm income of the sample farms

	Org	anic farms	Inor	ganic farms	
Catagory of forms	Sample size	Farm income (Rs)	Sample size	Farm income (Rs)	
Category of farms		NGO	area		
		North 24 Parg	anas district		
Sub-marginal	12	27,754.68	11	25,474.62	
Marginal	3	44,211.14	3	53,291.80	
Small	-	-	1	75,757.25	
Overall	15	33,240.16	15	34,390.23	
		Jalpaigur	i district		
Sub-marginal	7	33,384.61	4	29,953.57	
Marginal	2	47,018.50	8	48,504.81	
Small	6	74,163.58	3	76,279.04	
Overall	15	51,514.05	15	54,052.64	
	Government area				
	North 24 Parganas district				
Sub-marginal	8	26,825.59	10	24,963.13	
Marginal	6	39,978.18	5	41,706.83	
Small	1	66,852.72	-	-	
Overall	15	33,878.26	15	31,660.61	
	Jalpaiguri district				
Sub-marginal	3	28,600.60	6	27,024.92	
Marginal	7	44,272.91	8	41,227.93	
Small	5	65,232.84	1	76,269.14	
Overall	15	50,214.73	15	37,882.81	
		Al			
Sub-marginal	30	28,905.17	31	26,187.61	
Marginal	18	43,136.10	24	45,261.31	
Small	12	69,833.20	5	76,172.70	
Overall	60	41,360.05	60	37,982.51	

Source: Field survey

Table 3.13: Percentage of farm income over family income of the sample farms

	Org	ganic farms	Inor	rganic farms	
Category of farms	Sample size	% of Farm income	Sample size	% of Farm income	
Category of farms		NGO) area		
		North 24 Par	rganas district		
Sub-marginal	12	83.46	11	80.72	
Marginal	3	94.69	3	98.04	
Small	-	-	1	90.28	
Overall	15	88.09	15	86.83	
		Jalpaigu	ri district		
Sub-marginal	7	99.15	4	89.54	
Marginal	2	78.41	8	82.03	
Small	6	95.37	3	98.71	
Overall	15	93.98	15	90.02	
	Government area				
	North 24 Parganas district				
Sub-marginal	8	61.49	10	81.65	
Marginal	6	83.89	5	85.63	
Small	1	100.00	-	-	
Overall	15	72.83	15	83.70	
		Jalpaigu	ri district		
Sub-marginal	3	94.39	6	75.95	
Marginal	7	78.99	8	95.04	
Small	5	97.55	1	93.76	
Overall	15	86.66	15	88.53	
		A	A11		

Sub-marginal	30	80.69	31	81.17
Marginal	18	82.75	24	88.55
Small	12	96.57	5	95.91
Overall	60	86.14	60	86.85

Source: Field survey

Chapter 4

Results and Discussion

Organic farming, as we have discussed earlier, is the form of agriculture that relies on techniques such as crop rotation, green manure, compost and biological pest control to maintain soil productivity and control pests on a farm. Organic farming excludes or strictly limits the use of chemical fertilizers, pesticides (which include herbicides, insecticides and fungicides), plant growth regulators such as hormones, livestock antibiotics, food additives, and genetically modified organisms.

4.1 Status of organic farming in West Bengal

Information regarding total number of organic farmers and total area under organic farming in the study area has been collected from respective Project Implementing Authority (PIA) and changes with respect to area under organic farming system over time was our initial point of focus in course of our field level study.

It has been observed that 184 farmers in Panji village, a NGO activity area, and 119 farmers in Babpur village, a Government activity area, both in North 24-Parganas district are practicing organic farming. These farmers represent 37.32 per cent and 24.34 per cent of the total farmers of Panji and Babpur villages respectively. It has also been noticed that the farmers of Panji village are practicing organic farming for last 17 years and the farmers of Babpur village are practicing the same for last 5 years. It also reveals that 6.57 per cent and 6.14 per cent of total cultivable area in Panji and Babpur villages respectively have come under organic farming practices. Here, there is a clear indication that the performance measured in terms of area under organic practice, is better in Government activity area than NGO activity area in 24 Parganas district.

In Jalpaiguri district, however, there were 925 farmers in Purba Satali village under NGO supervision and 597 farmers in Ghughudanga village under Government supervision of which, 47.24 per cent farmers in Purba Satali and 18.59 per cent farmers in Ghughudanga village had been practicing organic farming. In terms of area under operation, only 10.06 ha of land out of 474.53 ha (2.12%) of cultivable land could be brought under organic practices in 11 years time span. In Ghughudanga village, however, the picture of organic practices is a bit encouraging in comparison with Purba Satali village. Out of 350.93 ha of total cultivable area, organic farms cover 13.23 ha (3.77%) in Ghughudanga (Table 4.1).

However, it should be worthwhile to mention that the status measured in terms of number of farms practicing organic farming is more encouraging in case of NGO area of Jalpaiguri district and Government areas in North 24 Parganas district. Interestingly, the increase in area under organic farming is more in both NGO and Government activity areas in North 24 Parganas district than that of Jalpaiguri district.

However, the percentage increase of land under organic farming among the sample farmers for both NGO (175.21%) and Government (80.21%) activity area was more in Jalpaiguri district than that of North 24 Parganas district (Table 4.2). In North 24 Parganas district, the land of sample organic farmers under organic farming has increased to 166.52% in NGO area and 66.77% in Government area. The probable reason for this may be comparatively easy accessibility of organic manures as well as organic inputs in Jalpaiguri district than that of North 24-Parganas district.

4.2 Comparative economics of crop production under organic and inorganic farming

Organic farming is not a new innovation. Such practice had attracted attention of the people all over the world to cope up with environmental and health hazards and non-sustainability in production level, that are consequences of chemical based inorganic farming technology.

Hence, the present study attempts to examine the economic viability of organic farming with return/cost analysis. For the purpose, standard cost concept for calculating cost of cultivation vis-à-vis cost of production has been followed.

Cost A₁ was estimated with an aggregation of (i) Hired Human Labour Wages, (ii) Bullock Labour Wages, (iii) Hired Machinery Charges, (iv) Cost of Seeds/Seedlings, (v) Cost of Fertilizers, (vi) Cost of Manures, (vii) Cost of Insecticides/Pesticides, (viii) Cost of Bio-Pesticides, (ix) Irrigation Charges, (x) Interest on Working Capital

(it has been calculated on the basis of interest on agricultural loan for Kisan Credit Card holder and the rate is 4 % per annum, i.e. Rs.3.30 per 1000 rupees per month), (xi) Land Revenue & Taxes (it is nil for sub-marginal, marginal and small farmers at present as per Government Rules), (xii) Depreciation on Farm Implements & Machineries (it has been calculated on the basis of an assumption for Rs.0.25 per day, i.e. Rs.7.50 per month (30 days) and it depends on duration of crop period, (xii) Miscellaneous Expenses (if any).

Particulars	Status				
District	North	North 24 Parganas Jalpaiguri			
Block	Baduria	Barasat I	Kalchini	Jalpaiguri Sadar	
Village	Panji	Babpur	Purba Satali	Ghughudanga	
Name of the project	Grow organic food	Jaibo gram prakalpa	Food security through NRM	Jaibo gram prakalpa	
Project implementing authority (PIA)	NGO (SEVA)	Department of Agriculture, GoWB	NGO (LKP)	Department of Agriculture, GoWB	
Funding agency	Indienhilfee e.g (German)	Government of West Bengal	Danida (Denmark)	Government of West Bengal	
Total farmers	493	489	925	597	
Number of farmers under	184	119	437	111	
organic farming	(37.32)	(24.34)	(47.24)	(18.59)	
Total area (ha)	121.31	182.08	474.53	350.93	
Area under organic	7.97	11.18	10.06	13.23	
farming (ha)	(6.57)	(6.14)	(2.12)	(3.77)	
Duration of organic farming in the village (years)	17	5	11	5	

Table 4.1: Status of organic farming in respect to number of farms and land area in hectare

Source: Farmers' register & Land register of PIA (Note: Figure in parentheses indicates the percentage of organic farmers & organic land to total farmers & total land of the village)

Table 4.2: Status of sam	ole organic farms in re	espect to organic farm

					(area in ha.)
	Duration of prosting organic forming		Initial	Present	Change
Organization	Duration of practicing organic farming	Total land (ha)	land (ha)	land(ha)	(ha)
	(years)			in organic farms	
	North 24	4 Parganas district			
NGO (SEVA)	17	0.32	0.03 (9.38)	0.08	0.05
NGO (SEVA)	17	0.52	0.03 (9.38)	(25.00)	(166.52)
Govt. of WB	5	0.47	0.03	0.05	0.02
GOVI. OF WB	5		(6.38)	(10.64)	(66.77)
	Jalp	aiguri district			
NGO (LKP)	11	0.84	0.04	0.11	0.07
NGO (LKP)	11	0.84	(4.76)	(13.10)	(175.21)
Govt. of WB	F	0.86	0.05	0.09	0.04
GOMP OF MR	5	0.80	(5.81)	(10.47)	(80.21)

Source: Farmers' register & Land register of PIA (Note: Figure in parentheses indicates the percentage of organic land to total land & percentage of change)

Cost A_2 was calculated by adding the rent for leased in land with Cost A_1 . But, as the sample farmers of the study area are the owner operating farmer, the value for Cost A_1 and Cost A_2 have been expressed by an identical term (assuming lease rent to be zero).

Cost B_1 is expressed by adding interest on fixed capital @ Rs.0.20 per day, i.e. Rs.6.00 per month of 30 days to the Cost A_2 .

Cost B_2 was obtained by adding the rent for own land which has been calculated on the basis of rent for leased in land prevailing at the study area during the study period to Cost B_1 .

Finally, adding the imputed value of family labour to Cost B₂, Cost C has been calculated.

So, it is clear from the above discussion that the Cost A_2 , Cost B_1 and Cost B_2 are not so significant in determining the cost of cultivation, irrespective of the system of farm operation. Only cost A_1 does play a vital role for variation in cost of cultivation of both organic and inorganic farming system. So in this section, despite the analysis of total cost of cultivation, an in depth analysis of cost A_1 has been undertaken for identifying the actual factor(s) that are responsible for variation in cost of cultivation between organic and inorganic farming system.

4.3.1 Economics of lady's finger

Lady's finger is one of the important vegetable crops grown commercially during summer. This is well preferred by the local people.

Gent items	NGC) area	Governm	nent area
Cost items	OFS	IFS	OFS	IFS
Cost A ₁	49,060.92	41,250.61	52,989.14	45,600.71
Cost A ₂	49,060.92	41,250.61	52,989.14	45,600.71
Cost B ₁	49,078.92	41,268.61	53,007.14	45,618.71
Cost B ₂	51,428.92	43,618.61	55,357.14	47,968.71
Cost C	74,019.47	65,257.62	73,427.67	65,328.81
Yield (qtl/ha)	111.77	122.65	100.56	124.21
Price(Rs/qtl)	1,153.21	993.38	1,135.45	981.62
By product	-	-	-	-
Price of By prodt	-	-	-	-
Gross return(Rs)	1,29,847.46	1,22,767.68	1,15,067.91	1,22,838.07
Net return(Rs)	55,827.99	57,510.06	41,640.25	57,509.25
R/C ratio	1.75	1.88	1.56	1.87
Total cost/ha	74,019.47	65,257.62	73,427.67	65,328.81
Total cost/qtl	662.25	532.06	730.19	525.95

Source: Field survey

OFS=Organic Farming System, IFS=Inorganic Farming System

Majority of growers of the state follows inorganic system of cultivation for lady's finger. However, per hectare cost of cultivation of lady's finger is calculated as Rs 74,019.47 and Rs 65,257.62 for organic and inorganic farming system in NGO area, respectively. Turning to Government area, the per hectare cost of cultivation of lady's finger for organic and inorganic system have been found as Rs 73,427.67 and Rs 65,328.81, respectively. The return/cost ratio of organic lady's finger is higher in NGO area (1.75) than Government area (1.56). This ratio is more or less same in inorganic farming system for both NGO and Government area and the ratio have been calculated as 1.88 and 1.87 for NGO and Government area, respectively (Table 4.3). The higher return/cost ratio of organic lady's finger in NGO area may be the impact of practicing organic farming for a longer duration in NGO area than Government area.

We estimated the difference between average values of total cost, return/cost ratio and net return for organic and inorganic practices with

 $t = (\bar{a}_1 + \bar{a}_2)/s\sqrt{(1/n_1 + 1/n_2)}$ distributed as t with degrees of freedom $n_1 + n_2 - 1$

where $\bar{\mathbf{a}}_1$ =Sample mean of group 1

 $\bar{\mathbf{a}}_2$ =Sample mean of group 2

 \mathbf{n}_1 =Number of observation in group 1

 \mathbf{n}_2 =Number of observation in group 2

and, $s = (n_1 S_1^2 + n_2 S_2^2)/(n_1 + n_2 - 1)$

 S_1 =Sample standard deviation of group 1 S_2 =Sample standard deviation of group 2

The results reveal that total cost in respect of organically produced lady's finger remains significantly higher than of the inorganic method of producing (Table 4.4). On the contrary return/cost ratio and net return per hectare is significantly higher as regards to inorganic farming.

	t value	Degrees of freedom	Level of significance
Total Cost	11.549	118	.000
R/C Ratio	-4.737	118	.000
Net Return	-2.446	118	.016

It is observed that the total cost of cultivation of lady's finger with organic technology is substantially higher (approximately Rs 10.000/- per ha) than the total cost of cultivation under inorganic farming practices of the crop. This is due to higher cost of organic manures that are being used for cultivation of the crop. On the other hand, cost for plant protection material is higher in inorganic system (Rs. 5,581.24 for NGO area and Rs. 5,149.25 for Government area) than organic system (Rs. 1,715.56 for NGO area and Rs. 1,713.48 for Government area). The estimated cost of irrigation in inorganic farm is also higher (Rs. 2,446.81 for NGO area and Rs. 2,463.53 for Government area) than organic farm (Rs. 2,118.91 for NGO area and Rs. 2,091.54 for Government area) (Table 4.5).

It is the cost of manure in organic farming practices, which remain substantially higher than that of fertilizers, results in the higher cost of production as regards to organic output. Moreover, human labour component also seems to be higher in organic method of cropping. As a matter of fact the total cost remains higher than inorganic output. So, even if the price per quintal of lady's finger from organic farms are higher than that of its inorganic counterpart and hence the gross return per hectare, the net return per hectare and return-cost ratio remains favourable towards the inorganic farms.

Cost items	NGC) area	Governme	ent area
Cost items	OFS	IFS	OFS	IFS
Hired human labour wage	16,178.08	15,479.60	12,955.54	12,443.45
Bullock labour charge	1,676.05	1,676.05	1,676.05	1,676.05
Hired machinery charge	2,173.18	2,161.03	2,191.15	2,186.15
Cost of seed / seedling	8,294.00	8,010.15	8,150.72	8,294.00
Cost of fertilizers		13,221.21		13,239.12
Cost of manures	24,424.92		23,947.04	
Cost of p.p. materials		5,581.24		5,149.25
Cost of bio-p.p. materials	1,715.56		1,713.48	
Irrigation charge	2,118.91	2,446.81	2,091.54	2,463.53
Interest on working capital	462.88	387.34	500.84	429.20
Land revenue & tax				
Deprn.on farm implement	22.50	22.50	22.50	22.50
Miscellaneous expenses	2,240.97	2,068.44	2,331.38	2,186.15
Total	49,060.92	41,250.61	52,989.14	45,600.71

Table 4.5: Cost A₁ for cultivation of lady's finger

Source: Field survey

So far we have discussed about the vegetable lady's finger that is being grown by the farmers with organic technology. There are also a number of other vegetables like cowpea, brinjal, cauliflower and chilly that is also grown by the farmers with alternative technology. In all cases the total cost of organic production process remains higher in comparison with the output produced by chemical technology. But the produce of organic farms has an edge over others in terms of market price and hence gross return (see appendix for cost and returns for other vegetables).

It is important at this juncture to mention that the crops, of which we are concerned, are vegetable crops. These vegetables have a good market opportunity. But perishable nature of the produce necessitates a well-knit network of market access and transportation. Moreover, warehousing facilities for vegetables are still meagre in the state.

4.3.2 Economics of potato

Normally, farmers grow potato in winter season as commercial venture. The production of potato is higher in winter season with intensive use of synthetic fertilizers in West Bengal. Potato covers 3.4 per cent of gross cropped area of the state (2004-05).

There is a significant difference between organic and inorganic system of potato cultivation in terms of productivity, total cost, gross return, net return and return / cost ratio. The total cost of cultivation is higher in

organic potato (Rs 91,621.17/ha) than inorganic potato (Rs 73,686.54) in the NGO area. The cost of organic potato (Rs 1, 05,762.21) is also higher than inorganic potato (Rs 73,019.59) in Government area. The profitability in terms of gross return is quite encouraging under inorganic potato (Rs 1,63,857.58) than the organic potato (Rs 1,49,414.75) in NGO area and in Government area it is Rs 1,64,018.19 under inorganic system and Rs 1,37,589.18 under organic system. The net return is also higher (Rs 90,171.05/ha) in inorganic potato than organic potato (Rs 57,793.58) in NGO area. In the Government area, net return is Rs 90,998.60 and Rs 31,826.96 for inorganic and organic system, respectively. There is a difference between price premium received for organic potato and prevailing market price of inorganic potato in both the area. The prevailing market price is observed to be Rs 768.77 per qtl & Rs 768.76 per qtl for inorganic

Cost items	NGC	area	Government area		
Cost items	OFS	IFS	OFS	IFS	
Cost A ₁	63,525.16	46,185.00	82,617.50	50,486.86	
Cost A ₂	63,525.16	46,185.00	82,617.50	50,486.86	
Cost B ₁	63,549.16	46,209.00	82,641.50	50,510.86	
Cost B ₂	65,899.16	48,559.00	85,011.50	52,860.86	
Cost C	91,621.17	73,686.54	1,05,762.21	73,019.59	
Yield (qtl/ha)	172.54	211.56	161.30	211.76	
Price(Rs/qtl)	859.54	768.77	846.65	768.76	
By product					
Price of By prodt					
Gross return(Rs)	1,49,414.75	1,63,857.58	1,37,589.18	1,64,018.19	
Net return(Rs)	57,793.58	90,171.05	31,826.96	90,998.60	
R / C ratio	1.62	2.21	1.29	2.23	
Total cost/ha	91,621.17	73,686.54	1,05,762.21	73,019.59	
Total cost/qtl	531.01	348.30	655.69	344.82	

Table 4.6: Comparative cost of cultivation of potato

Source: Field survey

potato in NGO and Government area, respectively. Whereas, the premium price of organic potato is Rs. 859.54 per qtl and Rs. 846.65 per qtl in NGO and Government area, respectively. The return/ cost ratio is estimated at 1.62 & 2.21 in NGO area and 1.29 & 2.23 in Government area, for organic and inorganic potato, respectively. This indicates inorganic potato is more profitable than the organic potato. Potato is a highly soil exhaustive crops and requires supplementation of high dose of nutrient which is only possible through the application of inorganic inputs (Table 4.6).

The estimated t values in respect of cost and a return of potato cultivation is presented in Table 4.7. A similar pattern as in case of lady's finger is also observed as regards to potato. Hence, it appears that farmers practicing inorganic methods are in an advantageous position in respect of costs and returns per hectare in comparison with their organic counterpart.

	t value	Degrees of freedom	Level of significance
Total Cost	19.955	118	.000
R/C Ratio	-15.625	118	.000
Net Return	-10.242	118	.000

The reason behind the higher cost of cultivation of organic potato is more cost of organic manures and biopesticides applied in potato cultivation (Table 4.8). The cost of seed under both the system and both the area is more or less same (varies from Rs 15,845.44 to Rs 16,212.52). However, the use of higher doses of synthetic fertilizers in inorganic potato induces higher productivity than organic potato. Therefore, to sustain the present productivity as well as to enhance the potato productivity, potato cultivation practices may continue to be inorganic.

4.4 Impact of organic farming in relation to quality of produces and price premium

4.4.1 Consumers' behaviour towards the organic food products

Demand for organic food products and awareness level towards organic food is increasing rapidly around the developed countries. Consumers in developed countries and in a few developing countries have become more health conscious in relation to food intake. However, the market development for organic produce in the Asian countries is in a nascent stage. Scanty information is available for organic food market in India and the consumers' attitude towards these products. Mostly the organic foods in our country are produced targeting the export markets of developed world. Along with the increase in production, marketing of the organic products, awareness level of the consumer ultimately influences the price premium for the organic produce. Study of the behaviour of the consumers towards the organic product is one of the important aspects for the future of the organic practices in agriculture. Consumers may not know whether a product is produced using organic or conventional methods, not even after repeated purchase and consumption, unless they are told so. If an individual cannot clearly differentiate between two alternative products, a price premium on the organic product can confuse and/or affects the individual purchase decision, in favour of the cheaper product. However, the domestic market of the organic product in India is at the budding stage. But recently demand for organic foods in domestic market of India is also showing upward trend and therefore, the present part is devoted to understand consumer awareness level and attitude towards the organic foods for measuring the impact of organic farming in relation to quality of produces and price premium.

Cost items	NGO) area	Government area	
	OFS	IFS	OFS	IFS
Hired human labour wage	18,304.79	17,973.97	14,843.61	14,449.07
Bullock labour charge	2,259.02	2,259.02	2,234.84	2,259.02
Hired machinery charge	2,145.53	2,146.36	15,845.44	2,187.31
Cost of seed / seedling	16,066.66	16,212.52	15,845.44	15,984.10
Cost of fertilizers		6,106.59		5,897.37
Cost of manures	25,617.70		25,889.99	
Cost of p.p. materials		3,843.28		3,771.02
Cost of bio-p.p. materials	1,726.19		1,752.97	
Irrigation charge	4,994.44	4,812.29	5,080.26	4,506.73
Interest on working capital	792.82	559.05	784.45	614.92
Land revenue & tax				
Deprn.on farm implement	30.00	30.00	30.00	30.00
Miscellaneous expenses	3,181.05	3,625.43	3,279.23	3,677.14
Total	63,525.16	46,185.00	82,617.50	50,486.86

Table 4.8: Cost A₁ for cultivation of potato

Source: Field survey

4.4.2 Distribution of the consumers

To measure the impact on quality of organic farm product and its price, consumers' perception has been studied in eight selected markets, where organic vegetables are sold by the organic farmers. These output markets were chosen purposively for the study for the fact that agricultural produces with organic technology flow to these markets. At the same time produce from other farms using prevailing technology have ample opportunity in these markets, so that the consumer is at liberty to choose between organic and inorganic produces. These markets cater the potential buyers of organic vegetables of the locality and neighbourhood. To assess the consumers' preference in this regard, a sample of 126 buyers from different income group were selected (Table 4.9).

Table 4.9: Marketwise income profile of the respondent consumers

C.	Sn Name of the market	Location	Number of	Total		
SII		(within WB)	Up to 10,000/-	>10,000/- to <20,000/-	20,000/- and above	Total
1	Kalyan Nagar	Khardah	14	6	-	20
2	Prantic	Salt Lake	4	11	2	17
3	Trangular Park	Salt Lake	1	4	4	9
4	Laboni	Salt Lake	3	6	11	20
5	Kasba	Kolkata	7	7	2	16
6	NChandan Pukur	Barrackpore	5	6	-	11
7	Harishpur	Basirhat	16	4	-	20
8	Atghara	Baduria	12	1	-	13
Over	Overall		62	45	19	126
Overa			(49.21%)	(35.71%)	(15.08%)	(100%)

Source: Market survey

So selection of consumers is made purposively those who purchase produce from such outlets where both organic as well as inorganic products are available. Out of 126 consumers, interviewed for this study, 20 respondents are from Kalyan Nagar, 17 respondents are from Prantic, 9 respondents are from Trangular Park, 20 respondents are from Laboni, 16 respondents are from Kasba, 11 respondents are from Nona Chandan Pukur, 20 respondents are from Harishpur and 13 respondents are from Atghara market. The total respondents are categorized under three monthly income group, viz. up to 10,000/-, >10,000/- to <20,000/- & 20,000/- and above. Maximum respondents (49.21%) are under the lowest income group, i.e. up to 10,000/-, followed by >10,000/- to <20,000/- (35.71%) and 20,000/- and above (15.08%), (Table 4.9).

4.4.3 Consumers' awareness and willingness to buy the organic products

It is expected that the level of income would be an important factor in determining the consumer demand towards organic foods. To have an idea about consumers' attitude towards organic vegetables we had to rely on a proxy variable namely 'consumers' willingness to pay higher price for organic produce'. The sublime assumption being more willing the consumer is to pay higher price for organic product, the higher is his/her preference towards the product, it is expected to vary with the income level of the consumer. Hence, consumer of higher income group would prefer organic products more. Field level data get corroborated with our expectation.

In course of enquiry we had chosen 65 respondents having monthly income up to Rs. 10000, 48 respondents with monthly income between Rs. 10000 and Rs. 20000 and 13 respondents having income more than Rs. 20000 per month. It seems trivial that consumers, when they are aware of the organic products and having higher income would be prepared to pay higher prices for them.

Willingness to new price promium	Monthly Income (in Rs)				
Willingness to pay price premium	Up to 10000	10000-20000	Above 20000	Total	
Up to 20%	62	37	4	103	
Op to 20%	(95.4)	(77.1)	(30.8)	(81.7)	
21% to 30%	3	9	8	20	
2170 10 3070	(4.6)	(18.8)	(61.5)	(15.9)	
31% to 40%	0	2	1	3	
51% 10 40%	(0.0)	(4.2)	(7.7)	(2.4)	
Total	65	48	13	126	
10(a)	(100.0)	(100.0)	(100.0)	(100.0)	

 Table 4.10: Price premium (in %) that consumers' willing to pay for organic products

Source: Market survey (Note: Figures in parenthesis indicate percentage)

We carried out an exercise to get an estimate of the degree of association between consumer's level of monthly income and his willingness to pay higher price for organic products. For the purpose we used the χ^2 statistic that tests the independence of attributes. From the table mentioned above (i.e. Table 4.10) a 3x3 contingency table was prepared to test the degree of association between monthly income and consumer's response. The result was tested against the null hypothesis:

 H_0 = Consumer's monthly income level and consumer's willingness to pay higher price are independent, with alternative hypothesis being

H₁ = Consumer's monthly income level and consumer's willingness to pay higher price are associated.

$$\chi^2 = \Sigma \{ (f_0 - f_e)^2 / f_e \}$$

where f_0 = Observed frequencies of respective cells

 f_e = Expected frequencies of respective cells

Which approximately follows a chi-square distribution with d.f.= (number of rows -1)x (number of columns-1)

The estimated value of χ^2 was:

 χ^2 = 31.989 with 4 degrees of freedom which was significant at 0.99 level.

From the result we get a clear indication of positive association between consumer's monthly income and his willingness to pay a higher price for organically produced crops. Hence, the null hypothesis was rejected.

4.4.4 Impact of price

The above discussion of this section highlights that the price of organic farm product may play a vital role for higher earnings from organic farm operation. So, to examine the veracity of this opinion, attempt has been undertaken to judge the prevailing price of organic farm product in a comparative scale to inorganic farm product in the study area.

4.4.4.1 Overall price of all crops

As compared to price of organic farm product with inorganic one, the significant higher prices registered for organic products in both NGO and Government area. Table 4.11 reveals that the price of organic farm product for all crops is substantially higher in comparison with the price of inorganic farm product.

Sn		NGO area					
	Crop	North 24 Parganas		Jalpaiguri			
		Organic	Inorganic	Organic	Inorganic		
1	Lady's finger	1201.60	1006.34	1104.82	980.42		
2	Cowpea	1216.62	996.73	1185.69	990.51		
3	Brinjal	791.05	700.93	771.63	690.94		
4	Cauliflower	881.17	826.10	860.39	801.89		
5	Potato	866.15	781.04	852.93	756.50		
6	Chilli	1646.66	1526.50	1615.44	1509.53		

Table 4.11: Comparative price (Rs/qtl) of organic & inorganic farm products in NGO area

Source: Market survey

The data furnish in Table 4.11 suggest that only cauliflower in Government area of Jalpaiguri district do not avail higher price in organic market. Though, cauliflower is sold in premium price in Government area of North 24 Parganas district. However, all other crops in both the districts received premium price in Government area.

4.4.4.2 The Price premium

The important points are to be noted here that lady's finger, cowpea, brinjal and potato in NGO area of both North 24 Parganas and Jalpaiguri district are sold over 10 % higher price as compared to inorganic farm product though cauliflower and chilli are sold by a price of less than 10 % higher price as compared to inorganic farm product in the same market (Table 4.12).

		Government area			
Sn	Crop	North 24 Parganas		Jalpaiguri	
		Organic	Inorganic	Organic	Inorganic
1	Lady's finger	1186.58	996.93	1084.32	966.30
2	Cowpea	1199.60	994.32	1126.68	983.45
3	Brinjal	786.05	653.79	768.07	739.80
4	Cauliflower	876.17	826.10	783.17	799.27
5	Potato	861.15	783.04	832.15	754.48
6	Chilli	1651.67	1526.50	1608.38	1514.58

Source: Market survey

Table 4.13: Price premium (Rs/qtl) of organic over inorganic farm products

Sn	Cron	NGO area		Government area	
511	Crop	North 24 Parganas	Jalpaiguri	North 24 Parganas	Jalpaiguri
1	1 Ladar's finance	195.26	124.40	189.65	118.02
1	Lady's finger	(19.40)	(12.69)	(19.02)	(12.21)
2 Cowpea	Courses	219.89	195.18	205.28	143.23
	Cowpea	(22.06)	(19.71)	(20.65)	(14.56)
2	Brinjal	90.12	80.69	132.26	28.27
3		(12.86)	(11.68)	(20.23)	(3.82)
4	Cauliflower	55.07	58.50	50.07	-16.10
4	Cauintower	(6.67)	(7.30)	(6.06)	(- 2.01)
5	Potato	85.11	96.43	78.11	77.67
5	FOIAIO	(10.90)	(12.75)	(9.98)	(10.29)
6	Chilli	120.16	105.91	125.17	93.80

	(7.87)	(7.02)	(8.20)	(6.19)
Source: Market survey (Note: Figures in parenthesis indicate price premium in percentage)				

Another important observation is that though the organic products, viz. lady's finger, cowpea and brinjal in Government area are sold in more than 10% higher price, yet organic cauliflower, potato and chilli are sold in less than 10% higher price in the same market of North 24 Parganas district as compared to price of inorganic products. In Jalpaiguri district more than 10% higher price is received for organic lady's finger, cowpea and potato and less than 10 % higher price is received for organic brinjal and chilli, as compared to the price prevailed in the same market for inorganic products.

In this area, the very interesting observation is that the organic cauliflower is sold by a price less than 2.01 % of the prevailing price of inorganic cauliflower. Perhaps the small size of organic cauliflower is the factor for disliking of the consumers. However, the price premium in the study area of both the districts pushed up the farm income of the organic farmers.

4.5 Farmers' awareness regarding organic farm practices

To measure the awareness about organic farming, the sample organic farmers have been interviewed with a structured questionnaire following 5 points ranking scale.

The awareness of the farmers in the field of organic farming is probed and the same has been ranked through rank score method as 1 (nil), 2 (low), 3 (medium), 4 (strong), and 5 (very strong). The weighted mean of rank score is presented in Table 4.12.

The weighted mean of rank score reveals that the organic farmers' awareness is maximum in relation to the good quality of the product in both NGO and Government area followed by beneficial attributes of the organic farm product for the human health. The interesting point may be noted here that the level of awareness of the farmers of NGO area regarding "high profitable" is placed third by rank, i.e., the farmers of the said area believe that organic farming system is high profitable than any other system of farming, but the farmers of the Government area consider this phenomenon by ranking eighth. This may be the cause of practicing organic farming for a longer duration by the farmers of NGO area. The fact is that during the conversion period from inorganic to organic farming, the yield of crops is reduced in organic farm and at the initial years application of higher quantity of organic manures is required for maintaining the status of nutrients in the soil. As a result higher cost involvement for manuring the soil and lower yield leads lower profit from farm operation. Farmers of Government area are practicing organic farming for last five years, so the level of their profit of organic farming is not equal to the level of profit that are perceived by the farmers of NGOs area, who are practicing organic farming for over a decade.

Sn	Questionnaire	NG	NGO area		ient area
	Questionnaire	Score	Rank	Score	Rank
1	High profitable	3.30	3	2.23	8
2	Minimum production risk	2.77	7	2.47	6
3	Higher employment potentiality	2.80	6	3.33	4
4	Lower recurring cost for inputs	2.97	5	3.50	3
5	Beneficial for health	4.17	2	4.33	2
6	Increasing consumer demand	3.20	4	2.50	5
7	Higher price of organic product	2.53	8	2.34	7
8	Good quality	4.20	1	4.63	1

Table 4.14: Ranking of organic farmers' awareness

Source: Field survey

4.6 Constraints in adoption of organic farming

Despite having potential the organic farming in West Bengal is almost at nascent stage and several issues have to be resolved for its promotion. Systematic constraints analysis from the perspective of farmers is an important step to resolve these issues. The inorganic farmers of the study area of the state express their opinion about the constraint encountered with organic production; the farmers' opinion is collected through focus group discussion by structured questionnaire. Constraints are analyzed through using Rank Based Quotient (RBQ) technique for ranking (Table 4.13). Based on the RBQ score, the constraints are ranked. In the next stage, these constraints have been categorized into four sub-divisions on the basis of their nature, i.e. socio-economic, infrastructural, environmental and situational. These constraints have been incorporated in the survey schedule using a five point scoring pattern, i.e. "very strong", "strong", "moderate", "low" and "nil" giving numeral scores 1, 2, 3,

4 and 5, respectively. For the purpose of measurement of different socio-economic, infrastructural, environmental and situational constraints and to examine their influence on adoption of organic farming, the various constraints are ranked according to their obtained scores. The constraints for non-adoption of organic farming, as perceived by the control group of sample farmers have been thoroughly assessed in this section. It is fact that seventeen constraints are found to be dominating for non-adoption of organic farming in these study areas.

However, it is also a fact that among the constraints, the constraints like high cost of organic inputs, lack of market for organic product, non-availability of organic inputs, lower yield and lacking of price advantage for organic product are found to be the major constraints. The other constraints appear to be lack of consumers demand for organic product and lower profitability. Small holding size, inconvenience of organic techniques, no scope, higher production risk, non-availability of suitable land for organic farming are also posing hindrance towards farmers' willingness to go for organic farming (Table 4.15).

As regards to the relative importance of different constraints it is found that (Table 4.16) socio-economic constraints is the main hurdle followed by infrastructural, technological and situational in the process of adoption of organic farming. The results in the table show that about 53 per cent of constraints are socio-economic in nature. The shares of infrastructural and technological constraints are found to be 22 per cent and 13 per cent, respectively. And finally the share of situational constraints is found to be 12 per cent.

Table 4.15: Field level constraints of organic farming as perceived by the sample farms

Sn	Constraints	RBQ	Rank
1	Not aware	24.67	15
2	No scope	28.33	10
3	Small holding size	30.67	8
4	Lower profitability	36.26	7
5	Lower yield	47.56	4
6	High cost of organic inputs	78.73	1
7	Higher production risk	27.72	11
8	Lacking of price advantage	47.49	5
9	Lack of market	74.71	2
10	Lower employment potentiality	26.03	16
11	More recurring cost for inputs	24.74	14
12	Non-availability of suitable land	27.00	12
13	Non-availability of organic inputs	51.50	3
14	Lack of consumers demand	41.86	6
15	Inconvenience of organic techniques	29.67	9
16	Lack of experience on organic farming	21.67	17
17	Lack of training on organic practices	26.33	13

Source: Field survey

Table 4.16: Relative importance of different types of constraints of organic farming among the sample farms

Sn	Constraints	Percentage coverage of constraints		
	Constraints	RBQ	%	
1	Socio - economic	339.91	52.71	
2	Situational	80.00	12.40	
3	Infrastructural	142.90	22.16	
4	Technological	82.12	12.73	
	Total	644.93	100.00	

The results clearly demonstrate that the main hurdle is the socio-economic in nature and this constraints along with infrastructural, technological and situational constraints should be given due consideration to increase the adoption rate of organic farming.

Table 4.17: Socio-economic constraints of organic farming as perceived by the sample farms

Sn	Constraints	RBQ	Rank
1	Small holding size	30.67	6
2	Lower profitability	36.26	5
3	Lower yield	47.56	3
4	High cost of organic inputs	78.73	1

5	Lacking of price advantage	47.49	4
6	Lower employment potentiality	26.03	7
7	Non-availability of organic inputs	51.50	2
8	Lack of experience on organic farming	21.67	8

Source: Field survey

It can be seen that the socio-economic constraints like high cost of organic inputs (1^{st}) , non-availability of organic inputs (2^{nd}) , lower yield (3^{rd}) , lacking of price advantage (4^{th}) for organic product, lower profitability (5^{th}) , small holding size (6^{th}) , lower employment potentiality (7^{th}) and lack of experience in organic farming (8^{th}) have played a significant role in decreasing importance in non-adoption of organic farming (Table 4.17)

In case of situational constraints, the constraints like no scope (1^{st}) , non-availability of suitable land (2^{nd}) for organic farming and not aware (3^{rd}) about organic farming have played a significant role in decreasing order in non-adoption of organic farming (Table 4.18).

Table 4.18: Situational constraints of organic farming as perceived by the sample farms

Sn	Constraints	RBQ	Rank
1	Not aware	24.67	3
2	No scope	28.33	1
3	Non-availability of suitable land	27.00	2

Source: Field survey

In regard to the infrastructural constraints, the constraints like lack of market for organic product, lack of consumers' demand for organic product and lack of training on organic practices are found to be dominant in decreasing order (Table 4.19). So, the discussion suggests the need for removal of these constraints which may help the proper adoption of organic farming.

Table 4.19: Infrastructural constraints of organic farming as perceived by the sample farms

Sn	Constraints	RBQ	Rank
1	Lack of market	74.71	1
2	Lack of consumers demand	41.86	2
3	Lack of training on organic practices	26.33	3
	Ν	60	

Source: Field survey

The picture relating to technological constraints (Table 4.20) shows that inconvenience of organic techniques followed by higher production risk and more recurring cost for inputs are the main constraints. So, the results suggest improving these situations for rapid adoption of organic farming in the study area.

Table 4.20: Technological constraints of organic farming as perceived by the sample farms

Sn	Constraints	RBQ	Rank
1	Higher production risk	27.72	2
2	More recurring cost for inputs	24.74	3
3	Inconvenience of organic techniques	29.67	1
	Ν	60	

Chapter 5 Summary and Conclusion

5.1 Introduction

5.1.1 Prelude

Organic farming is a system of farming which devoid of chemical inputs and in which the biological potential of the soil and underground water resources are conserved and protected from the natural and human induced degradation or depletion. Organic agriculture is one of several approaches to sustainable agriculture and many of the techniques used (e.g. inter-cropping, rotation of crops, mulching, integration of crops and livestock) are practiced under various agricultural systems. The basic rules of organic production are that natural inputs are approved and synthetic inputs are prohibited. It is fact that organic farmers are few in number. It is also fact that consumer demand for organic food and fibre products creates new market opportunities for cultivators and businesses around the world and thereby it creates new challenges for Food and Agriculture Organisation (FAO). It is observed that under organic farming practice, yield of crops does not decrease. When the application of organic manure is done, the availability of all the 16 nutrients is assured. Besides nutrients, in case of organic farming, the activity of micro-organisms increase manifold. If equal quantity of nutrient is applied through organic manure, then the question of decrease in yield does not arise. Secondly fertilizer use efficiency will be much higher under organic conditions, the leaching and evaporation losses will be lesser. Furthermore, the moisture retention capacity of the soil increases which helps to grow crops even under drought condition.

5.1.2 **Objectives of the study**

The specific objectives of the study are

- (i) To study the status of organic farming in West Bengal;
- (ii) To study the comparative economics of crop production under organic and inorganic farming;
- (iii) To study the impact of organic farming in relation to quality of produce and price premium;
- (iv) To study the farmers' awareness regarding organic farm practices;
- (v) To study the constraints in adoption of organic farming.

5.1.3 Database and Methodology

The study has been confined to two districts i.e. one from southern part (North 24 Parganas district) and another from northern part (Jalpaiguri district) of West Bengal. In the second stage, four blocks two from each district have been selected purposively. These blocks are Barasat-I and Baduria of North 24-Parganas district and Jalpaiguri Sadar and Kalchini block of Jalpaiguri district. Among the selected blocks, government agency is working in Barasat-I and Jalpaiguri Sadar Block. NGOs are working in other two blocks.

In the next stage, two bio-villages viz., Babpur village (Barasat-I block) of North 24-Parganas district and Ghughudanga village (Jalpaiguri Sadar block) of Jalpaiguri district have been selected purposively. Similarly, Panji village (Baduria block) and Purba Satali village (Kalchini block) of North 24-Parganas and Jalpaiguri district, respectively have been selected randomly.

5.1.4 Selection of farmers

All the farmers have been sub-divided into four categories based on size of land holdings viz., (i) submarginal (below 0.50 ha), (ii) marginal (0.51 ha to 1.00 ha), (iii) small (1.01 ha to 2.00 ha) and (iv) medium (2.01 ha to 4.00 ha). There is no big farmer in the study area. In the next stage, 30 farmers i.e. 15 each from organic and inorganic farms have been selected from each village based on stratified random sampling with proportional allocation. Thus, all total 120 farm households have been selected for in-depth study.

5.1.5 Methods of data collection

The primary data have been collected by personal interview using pre-tested survey schedule specially prepared for this purpose. The reference period of the study is 2009-10. Different aspects of farm operation have been obtained for both organic and inorganic farming systems. These aspects are (i) record of organic farmers

indicating the number of years engaged in organic practices, (ii) season wise record of crops both in organic and inorganic farms, (iii) input and output record of both organic and inorganic farms, (iv) cost of cultivation as well as cost of production record for different crops of both group of farmers, (v) record of price received from sale of products in market and (vi) input uses record both in organic and inorganic farms.

5.1.6 Measurement of variables

On the basis of extensive review of studies and consultation with the experts, the relevant variables associated with the adoption and non-adoption of organic farming were identified. The variables related to adoption of organic farming are measured on the basis of 5-point scale following the scoring method as very strong = 5, strong = 4, medium = 3, low = 2 and nil = 1. Similarly, the variables related to non-adoption of organic farming are measured as very strong = 1, strong = 2, medium = 3, low = 4 and nil = 5.

5.1.7 Scheme of the chapters

The entire study report has been organized into five chapters. These are (1) Introduction, (2) Review of literature, (3) Profile of the study area, (4) Results and discussion and (5) Summary and conclusions.

5.1.8 Limitations of the study

Though considerable precautions and thoughts have been exercised to make the study precise, objective and reliable, yet because of limited resources at the disposal, the study has been restricted to specific areas and could not be extended to larger areas and more crops. Individual's biases and prejudices on the part of the respondents might have influenced the findings of the study because the field level investigation was based on individual's perception and expressed opinion.

5.3 **Profile of the study area**

5.3.1 Profile of the state West Bengal

As per Census 2001, West Bengal has a population of 8.02 crore, consisting 4.15 crore males and 3.87 crore females. The estimated population of West Bengal as on 1st October 2005 stands at 8.53 crore and it is expected to reach 8.64 crore in 1st October 2006. West Bengal has a population density of 904 inhabitants per square kilometre making it the most densely populated state in India. The state contributes 7.81 percent of India's population. The population of West Bengal has increased from 4.43 crores in 1971 to 8.01 crores in 2001. However, the state's 1990-91 to 2000-01 growth rate of 17.84 percent is lower than the national rate of 21.34 percent. According to 2001 census, rural population of West Bengal was 72.03 percent of the total population whereas the urban population was 27.97 percent of the total population. The rate of growth of urban population has been much more than the rate of growth of rural population, exhibiting a gradual trend of rural to urban migration. The gender ratio of the state has been 934 females per 1000 males. The percentage of male members was 51.72 percent and the percentage of female members was 48.28 percent in 200

The net area under cultivation in West Bengal is about 52, 96,005 ha with cropping intensity of 182 percent. There are 67.89 lakh operational holdings of different land size classes with an average size of 0.82 ha. The cropping pattern of the state is dominated by food crops, which account for about 87 percent of the area under principal crops in the state. The major crops grown in the state include Rice, Wheat, Jute, Tea, Potato, Sugarcane, Pulses and Oilseeds etc. Among various crops, rice is grown in 58, 57,000 ha followed by oilseeds in 6, 85,000 ha, potato is grown in 30,800 ha where as pulses is grown in 2, 51,000 ha. The state is the highest producer of rice in the nation; also there is remarkable progress in the production of jute and oilseeds. About 60 percent of the raw jute is produced in the state. The state also produces about 28 percent of the total potatoes grown in the country. In case of area under cultivation, West Bengal has faced a gradual shrinkage in the net cropped area over the decades from 54.17 lakh hectares in 2000-01 to 52.96 lakh hectares in 2006-07 (as per provisional estimates) as reflected in Table 4.1.3.1. However, this has been more than equally compensated by a sharp rise in the cropping intensity of the state from 168 percent to 182 percent, which in turn has resulted in an increase in the gross copped area from 91.16 lakh hectares to 96.34 lakh hectares over the same period.

5.3.2 Profile of North 24 Parganas district

North 24-Parganas is the second most populous district in the state and in India as well. It is the second most urbanized district of the state having more than 54.0 per cent of the total population in the urban areas, whereas 28 per cent of the state's population lives in urban areas. The district North 24-Parganas is in alarming condition due to high population growth of 22.7 percent, which is fifth highest in the state. The district has the third highest density

of population (2,182 persons per square kilometre) in the state. The sex ratio of the district (926) is well below the state sex ratio (934). Literacy rate of the district is 78.1 per cent thereby making its position 2nd in the state Agriculture in North 24-Parganas has witnessed a remarkable increase in food grain production, which currently stands at 7.38 lakh tones. The North 24-Parganas District also contribute significantly towards the West Bengal horticultural produces and is taking shape as a 'Horticulture Hub' of West Bengal. The commercial production of vegetables like tomato, cabbage, cauliflower, pea, brinjal, ladies finger, beans, potato etc. has grown rapidly over the years owing to favourable agro-climatic conditions of the district. The region also offers excellent conditions for commercial production flowers like rose, tuberose, marigold and gladioli. Fruits like mango, banana, papaya, pine apple, guava, litchi etc. are also grown in the region in commercial scale.

5.3.3 Profile of Jalpaiguri district

Jalpaiguri is the largest district by area in the northern part of the state West Bengall. It is the most urbanized district of the North Bengal having 34,01,173 total population, consisting 17,51,145 male and 16,50,028 female population. The district has 36.71% schedule caste and 18.87% schedule tribe population. The density of population of the district is 546 persons per square kilometer. The sex ratio of the district (942) is high of the state sex ratio (934). Literacy rate of the district is 54.07 per cent thereby making its position 2nd among the districts of North Bengal. Agriculture in Jalpaiguri district has witnessed a remarkable increase in food grain production, which currently stands at 4.39 lakh tones. The Jalpaiguri district also contributes significantly towards the West Bengal horticultural produces by producing 8.36 lakh tones vegetables. The commercial production of vegetables like tomato, cabbage, cauliflower, pea, brinjal, ladies finger, beans, potato etc. has grown rapidly over the years owing to favourable agroclimatic conditions of the district. The region also offers excellent conditions for commercial production flowers like rose, tuberose, marigold and gladioli. Fruits like mango, banana, papaya, pine apple, guava, litchi etc. are also grown in the region in commercial scale. The district is claimed for favour of pulses and oilseeds production in the state

5.3.4 Distribution of sample farms

also.

It has been observed that there exist 30.79 % (771 farms) organic farms in 4 villages under 4 blocks of 2 districts under the study in 2009-10, i.e. the study period. These organic farms are categorized into 16.93 % (424 farms) sub-marginal farms, 7.35 % (184 farms) marginal farms and 6.51 % (163 farms) small farms according to the size of land holdings. On the other hand, 69.21 % (1733 farms) inorganic farms are sub-divided into 30.63 % (767 farms) sub-marginal farms, 31.63 % (792 farms) marginal farms, 6.91 % (173 farms) small farms and 0.04 % (1 farm) medium farm in the study areas.

Inside the organic category, the farms are distributed into different size class by 424 sub-marginal (55.00 % of 771 organic farms), 184 marginal (23.86 % of 771 organic farms) and 163 small farms (21.14 % of 771 organic farms). The sample of 60 organic farms has been formed with 30 sub-marginal (50.00 % of 60 sample organic farms), 18 marginal (30.00 % of 60 sample organic farms) and 12 small farms (20.00 % of 60 sample organic farms). In the limits of inorganic system, the farms are distributed into different categories by 767 sub-marginal (44.26 % of 1733 inorganic farms), 792 marginal (45.70 % of 1733 inorganic farms), 173 small (9.98 % of 1733 inorganic farms) and 1 medium farm (0.06 % of 1733 inorganic farms). The sample of 60 inorganic farms have been taken by 31 farms from sub-marginal category (51.67 % of 60 sample inorganic farms), 24 farms from marginal category (40.00 % of 60 sample inorganic farms) and 5 farms from small category (8.33 % of 60 sample inorganic farms) of inorganic farms in the overall study area.

5.3.5 Characteristics of selected farmers

The important point may have to be noted that Rs. 41,360.05 come annually from farm income sources out of total annual family income of Rs. 48,012.79. This meant that 86.14 % of the family incomes come from farm income sources for organic farmers.

The same picture had been found in case of inorganic farm households. Inorganic farmers earned Rs. 37,982.51 from farm sources out of total annual family income of Rs. 43,732.98 which was the counterpart of 86.85 % of annual family income.

Thus, this discussion has focused on the aspect that farming is the earning sources of more than 86 % of the total income for all the sample households in both the farming system in the study area. So, all the sample households are involved in subsistence farming.

5.4 Results and Discussion

5.4.1 Status of organic farming in West Bengal

Number of organic farms has been extended to 37.32 per cent and 24.34 per cent in North 24 parganas district and 47.24 per cent and 18.59 per cent in Jalpaiguri district compare to the number of farms at the beginning stage in NGO and Government area, respectively. The overall increase in area under organic farming has been found to be 6.57 per cent and 6.14 per cent in North 24 Parganas district and 2.12 per cent and 3.77 per cent in Jalpaiguri district for NGO and Government activity area respectively during the similar periods. The percentage increase of land under organic farming among the sample farmers for both NGO (175.21 %) and Government (80.21 %) activity area is more in Jalpaiguri district than that of North 24-Parganas district. The probable reason for this may be due to the fact of comparatively easy accessibility of organic manures as well as organic inputs in Jalpaiguri district than that of North 24-Parganas district.

5.4.2 Comparative economics of crop production under organic and inorganic farming

Economics of organic vis-à-vis inorganic farm practices of six crops under study may be summarized as, though cost of cultivation was higher and production was lower in organic than inorganic system for lady's finger, potato and chilli, but price of the organic product was higher than inorganic in the study area. This was resulted a favorable return / cost ratio for organic farming system. The return / cost ratio of organic cowpea was higher than inorganic cowpea in NGO area. This was happened due to higher price of organic cowpea. In case of brinjal, though production was lower and cost of cultivation was higher in organic system, but as the price of organic product was higher than inorganic product, return/cost ratio for both organic and inorganic farming system was more or less same. The same fact was replicated for cauliflower in NGO area, but in Government area organic cauliflower exhibited lower production and same price with inorganic product and lower but favorable return/cost ratio.

5.4.3 Impact of organic farming in relation to quality of produces and price premium

It was observed from the market survey that organic produces bear higher price than the inorganic ones. It is true that higher cost of production in case of organic farming is he reason behind. But at the same time consumers' consciousness about benefits of such produces along with their capability to pay for the products do have bearing on their choice. There exists a definite positive association between consumer's monthly income and his willingness to pay higher price for organic products.

5.4.4 Farmers' awareness regarding organic farm practices

But it was observed in the study that the organic farmers were much aware regarding good quality of organic product, beneficial role of organic crops for human health and high profitability of organic farming than other system.

5.4.5 Constraints in adoption of organic farming

There are seventeen constraints found to be dominating in non-adoption of organic farming in these study areas. Among these, the constraints like high cost of organic inputs, no market for organic product, unavailability of organic inputs, less yield and no price advantage for organic product are found to be the major constraints according to their ranking as first, second, third, fourth and fifth. The next important constraints are found to be no consumers demand for organic product. According to the ranking, the seventh position is obtained by less or equal profitability. Small holding size, inconvenience of organic techniques, unavailability of the scope, higher production risk, no suitable land for organic farming are the next important constraints by obtaining the rank eighth, ninth, tenth, eleventh and twelfth, respectively. Lack of training of organic practices, more recurring cost for input are found to be the next important constraints by obtaining the rank thirteenth and fourteenth. The other constraints in order to importance are lack of awareness, low employment potentiality and lack of experience of organic farming as these constraints it is found that socio-economic constraints is the main hurdle followed by infrastructural, technological and situational in the process of adoption of organic farming.

5.4.6 Policy measures based on the findings of the study

- 1. Formation of Farmers' Organization may be an essential part of a sound organic strategy for a reasonable price premium.
- 2. Awareness and training programmes for organic farming at a regular interval are required.
- 3. Recommended doses of plant nutrients to be applied.
- 4. The economic benefits due to application of Integrated Pest Management (IPM) strategy in organic farm should be demonstrated to farmers.

- 5. Flow of credit to agriculture by Kishan Credit Card (KCC), Self Help Group (SHG)-banking linkage programme, Farm Income Insurance Scheme (FIIS) should be developed, especially for organic farming.
- 6. Interlinked credit with output for organic farm production should be initiated to facilitate export in this section and to encourage organic farmers.
- 7. Sound public policy should involve revolving fund for farmers to access initial financing required for investments to vermicomposting, bio-pesticide production, livestock, etc. These are useful in integrated systems of manures, pesticides, etc.
- 8. Government's incentives or tax exemptions on organic inputs should be applied like conventional inputs and benefits could be channelled like extension services and support for biological pest controls.
- 9. The Government should provide start-up funding as subsidy for a broad scale farmer conversion programme through kinds, i.e. inputs of organic in nature.
- 10. Market structure for organic products need to be developed.
- 11. The organic farm produce should be included under the public distribution system (PDS).
- 12. Proper attention should be paid by the PIA in supplying the inputs at the door step of farmers in the initial stage.
- 13. Farmers and consumers should rely on a system of private self-organized producer organizations and independent certifiers which will provide an economically-efficient mechanism of certification (e.g. PGS, i.e. Participatory Guarantee System).
- 14. Marketing co-operatives by pooling the small and scattered produce of the producers' can improve the bargaining strength of organic growers and can thus effectively eliminate the margin appropriated by the market intermediaries.
- 15. Organic food products should be integrated into public procurement, such as in schools, hospitals, etc., through the requirement of at least a certain percentage of organic foods, if these are available, to stimulate both a base market demand and improve the public information and consumer exposure to organics.
- 16. There is an acute need to intensify research work to develop / evolve some new varieties for organic farming, appropriate to the agro-ecological conditions of the respective regions, in our case West Bengal.
- 17. Public domain research with adequate funding for sustainable agriculture is urgently necessary in developing countries. The Government of India should set up an Organic Agricultural Research Institute (OARI) with its all India network through different centres in different states of different agro-ecological condition.

References

- 1. Alvares. C. (Edited). (2002). The Organic Farming Reader, Other India Press. Goa.
- 2. Bamji. M. (2005). Motivating Farmers to Produce More Pulses and Vegetables for Local Consumption. D.C.Trust. A.P.
- 3. Birthal. P. (2005). Agriculture Diversification Opportunities for Small Farmers. NCAP. New Delhi.
- 4. Conway, G. (1998). The Doubly Green Revolution. Penguin. London.
- 5. Chand. R. (2005). Increasing Cultivation of Oilseeds & Production of Edible Oils. NCAP. New Delhi (Advice).
- 6. Chatterjee, A.S. (2005). Ecological Farming and NRM. Food and Nutrition Security Community (FAO). New Delhi. (p 10).
- Chander, M. and Kumar, S.(1999). Indigenous Cattle and Buffalo Wealth of India: Exploring its Role in promoting Organic Farming Practices. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 48).
- 8. Dudani, A.T. (1999). Alternative to Chemical Pesticides in Tropical Countries Sustainable Agriculture Food Security & Food Safety. Bigyan Prassar. New Delhi.
- 9. Deb. Debal (2004). Industrial vs Ecological Agriculture. Navdanya. New Delhi.
- 10. Dhar. B. (2005). Ensuring Food Security of Agricultural Workers. ADB. New Delhi.
- 11. Dand. S. (2006). Designing of Grain Banks for Enhanced Food Security. Anandi. Gujrat.
- 12. Dilipkumar S. C., Robins C.J., Dr. S.T.S. & Lanting, Ir. H. (1999). Farm Systems Comparison IFOAM Case Studies in India. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (pp 69-70)
- 13. Damayanti, R. (1999). Community Approach to Rural Health and Nutrition. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 9).
- 14. Food and Agriculture Organization (1997). Bulletin for Organic Agriculture. FAO. UN.
- 15. Fujino, T. (1999). Farmer to Farmer Training. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 10).
- 16. Ghosh, A.K. & Deb. Debal (eds.) (2000). Mannel for Sustainable Agriculture & Biodiversity Conservation. Navdanya. New Delhi.
- 17. Gunar. R. (2002). Organic Agriculture and Food Security. IFOAM Dossier-1. Theley. Germany.
- 18. Helsel. Z.R. (1993). Sustainable Agriculture. Technical Review. Vol. 5 No. 5.
- 19. Harkar. D. (2005). Expanding Opportunities in Dryland Farming. ICRISAT. Hyderabad.
- 20. Hashimoto, S. (1999). Teikei System. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (pp 65-66).
- 21. International Federation of Organic Agriculture Movements (1998). Guideline for Organic Agriculture. IFOAM. Germany.
- 22. Institute for Integrated Rural Development (IIRD) (2001). Concepts. Principles and Basic Standards of Indian Organic Agriculture. Kanchannagar. Aurangabad.
- 23. Joshi. Mukund & Prabhakarasetty. T.K. (2005). Sustainability Through Organic Farming, Kalyani Publishers. New Delhi. Br.Off. Kolkata.
- 24. Kandagal. S.S. (2005). Redressal of Environmental Health Issues in Agriculture. APFAMGS. Hyderabad.
- 25. Kumar. S. (2005). Improving access to irrigation by small farmers. Krishi Bharati. U.P.
- 26. Kolanu. T.R. & Sunil Kumar (2002). Greening Agriculture in India An Overview of Opportunities & Constraints. Centre for Energy Environment & Technology. Administrative Staff College of India. Bella Vista. Hyderabad. India.
- 27. Lampkin. N.H. & Padel, S. (1994). Organic Farming & Agricultural Policy in Western Europe on our view the economics of organic farming an international perspective. CAB International Wallingford.
- Leigh. R.A. & Johnson, A.E. (eds.) (1994). Long Term //experiments in Agricultural and Ecological Sciences. CAB International. Wallingford.
- 29. Li, D. and Xiao, X. (1999). Organic Farming Practice and Administrative System in Chaina. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (pp 54-56).
- 30. Ministry of Agriculture, Government of India. (1994). Watershed Area Rain fed System Analysis. New Delhi.

- Maiti, R.G. (2007). Organic Horticulture in India Its Past, Present and Future. National Workshop on 'Organic Horticulture' at BCKV. Mohanpur. WB. (pp 53-54).
- 32. May, R. (1999). Certified Organic Agriculture in Australia. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 13).
- 33. Palaniappan, SP. & Annadurai. K. (2003). Organic Farming (Theory & Practice). Scientific Publishers (India). Jodhpur.
- 34. Patra. D. (2005). Promoting Organic Farming Utilizing the Krishi Vigyan Kendras (KVKs). Ouat. Orissa (Advice).
- 35. Ramachandran. N. (2005). Restoring natural food safety nets. UNICEF. New Delhi.
- 36. Ranjan. R. (2005). Financing of agriculture sector. Development Alternatives. Jhansi.
- 37. Rundgren, G. (1999). Organic Certification in World Trade. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 12).
- 38. Rajaraman. B. (2006). Food Security through Panchayats. Civil Supplies & Consumer Protection Department. Chennai (Advance).
- 39. Shiva, Vandana (1992). Biodiversity. Natraj Publishers. Dehradoon.
- 40. Shiva. Vandana (2001). The Violence of the Green Revolution. RFSTE. New Delhi.
- 41. Shiva. V. Pande. P. Singh. J. (2004). Principles of Organic Farming. Navdanya. New Delhi.
- 42. Singh, G. (1999). Organic Farming in Malaysia Country Report. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 45).
- 43. United States Department of Agriculture (USDA). (1980). Report and Recommendation on Organic Farming. US Government Printing Press. Washington. <<u>www.usda.gov</u>>.
- 44. Xiaodong, Y., Yuming, Z. and Zhengkun, W. (1999). Practice of Organic Farming in Poverty-Stricken Regions of China. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (pp 58-59).
- 45. Yadav, S.P. (1999). Organic Agriculture in Nepal: An Update. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 46).
- 46. Zhengfang, L. (1999). Certification of Small Farmers in China. 4th Scientific Conference and General Assembly of IFOAM (asia-99). Philippines. (p 13).

Appendix 1

Cost items	NGC) area	Governm	nent area
Cost items	OFS	IFS	OFS	IFS
Cost A ₁	56,992.02	44,756.35	63,735.40	51,207.81
Cost A ₂	56,992.02	44,756.35	63,735.40	51,207.81
Cost B ₁	57,010.02	44,774.35	63,753.40	51,225.81
Cost B ₂	59,360.02	47,124.35	66,103.40	53,575.81
Cost C	83,828.64	71,936.89	85,911.25	72,882.03
Yield (qtl/ha)	181.77	167.38	175.43	236.77
Price(Rs/qtl)	870.78	814.00	829.67	812.68
By product				
Price of By prodt				
Gross return(Rs)	1,59,461.63	1,37,267.19	1,46,361.78	1,93,841.56
Net return(Rs)	75,633.00	65,330.29	60,450.54	1,20,959.53
R / C ratio	1.90	1.90	1.70	2.65
Total cost/ha	83,828.64	71,936.89	85,911.25	72,882.03
Total cost/qtl	461.18	429.78	489.72	307.82

Table A1: Comparative cost of cultivation of Cauliflower

Source: Field survey

Table A2 : Estimated t values for organic and inorganic farming practices of Cauliflower

	t value	Degrees of freedom	Level of significance
Total Cost	12.860	118	.000
R/C Ratio	-6.571	118	.000
Net Return	-4.363	118	.000

Source: Field survey

Table A3: Cost A_1 for cultivation of Cauliflower

Cost items	NGC) area	Governm	nent area
	OFS	IFS	OFS	IFS
Hired human labour wage	17,509.76	17,669.03	14,216.63	13,834.56
Bullock labour charge	1,676.05	1,676.05	1,676.05	1,676.05
Hired machinery charge	2,060.58	2,135.81	2,186.15	2,185.06
Cost of seed / seedling	12,435.50	12,222.32	12,615.15	12,562.92
Cost of fertilizers		12,797.70		13,565.86
Cost of manures	23,979.86		24,912.43	
Cost of p.p. materials		1,823.05		1,891.20
Cost of bio-p.p. materials	3,172.54		3,311.27	
Irrigation charge	3,006.51	3,381.95	2,986.40	3,564.26
Interest on working capital	526.99	404.75	590.02	464.66
Land revenue & tax				
Deprn.on farm implement	22.50	22.50	22.50	22.5
Miscellaneous expenses	3,691.24	3,813.57	4,062.13	4,207.64
Total	56,992.02	44,756.35	63,735.40	51,207.81

Cost items	NGO) area	Governm	nent area
	OFS	IFS	OFS	IFS
Cost A ₁	43,705.86	33,198.41	48,315.29	37,329.56
Cost A ₂	43,705.86	33,198.41	48,315.29	37,329.56
Cost B ₁	43,723.86	33,216.41	48,333.29	37,347.56
Cost B ₂	46,073.86	35,566.41	50,683.29	39,697.56
Cost C	67,376.92	55,994.87	67,008.82	55,062.74
Yield (qtl/ha)	59.72	67.32	55.90	67.70
Price(Rs/qtl)	1,631.05	1,518.02	1,630.02	1,520.54
By product				
Price of By prodt				
Gross return(Rs)	98,408.91	1,03,162.76	92,034.37	1,03,924.78
Net return(Rs)	31,031.99	47,167.89	25,025.55	48,862.04
R / C ratio	1.45	1.83	1.36	1.88
Total cost/ha	67,376.92	55,994.87	67,008.82	55,062.74
Total cost/qtl	1128.21	831.77	1198.73	813.33

Table A4: Comparative cost of cultivation of Chilli

Source: Field survey

Table A5: Estimated t values for organic and inorganic farming practices of Chilli

	t value	Degrees of freedom	Level of significance
Total Cost	16.215	118	.000
R/C Ratio	-8.557	118	.000
Net Return	-5.823	118	.000

Source: Field survey

Table A6: Cost A1 for cultivation of Chilli

Cost items	NGO	area	Governm	ent area
	OFS	IFS	OFS	IFS
Hired human labour wage	13,804.87	12,658.02	10,272.58	9,422.35
Bullock labour charge	1,676.05	1,676.05	1,676.05	1,676.05
Hired machinery charge	2,020.18	2,117.02	2,019.20	2,162.65
Cost of seed / seedling	4,271.65	4,373.81	4,369.69	4,462.48
Cost of fertilizers		9,502.31		9,729.67
Cost of manures	21,174.58		22,095.70	
Cost of p.p. materials		3,623.60		3,761.91
Cost of bio-p.p. materials	3,239.81		3,327.79	
Irrigation charge	3,896.01	4,233.45	4,011.43	4,820.10
Interest on working capital	412.99	301.37	456.72	341.17
Land revenue & tax				
Deprn.on farm implement	22.50	22.50	22.50	22.50
Miscellaneous expenses	1,930.32	2,707.04	2,118.15	2,815.17
Total	43,705.86	33,198.41	48,315.29	37,329.56

Gent items	NGC) area	Governn	nent area
Cost items	OFS	IFS	OFS	IFS
Cost A ₁	22,207.86	22,378.08	24,301.81	24,434.97
Cost A ₂	22,207.86	22,378.08	24,301.81	24,434.97
Cost B ₁	22,225.86	22,396.08	24,319.81	24,452.97
Cost B ₂	24,575.86	24,746.08	26,669.81	26,802.97
Cost C	34,439.41	33,942.96	34,005.29	33,193.40
Yield (qtl/ha)	54.51	55.92	51.41	60.86
Price(Rs/qtl)	1,201.15	993.62	1,163.14	988.89
By product				
Price of By prodt				
Gross return(Rs)	66,240.34	56,202.56	60,526.05	60,851.78
Net return(Rs)	31,800.93	22,259.60	26,520.76	27,658.38
R / C ratio	1.91	1.64	1.76	1.82
Total cost/ha	34,439.41	33,942.96	34,005.29	33,193.40
Total cost/qtl	631.80	606.99	661.45	545.41

Table A7: Comparative cost of cultivation of Cowpea

Table A8 : Estimated t values for organic and inorganic farming practices of Cowpea

	t value	Degrees of freedom	Level of significance
Total Cost	1.193	118	.235
R/C Ratio	1.935	118	.055
Net Return	1.994	118	.048

Source: Field survey

Table A9: Cost A1 for cultivation of Cowpea

Cost items	NG	O area	Governme	nt area
	OFS	IFS	OFS	IFS
Hired human labour wage	6,601.10	6,196.80	4,833.25	4,178.37
Bullock labour charge	1,384.56	1,384.56	1,384.56	1,384.56
Hired machinery charge	1,042.90	1,032.81	1,094.08	1,093.08
Cost of seed / seedling	3,517.96	3,518.80	3,517.96	3,517.96
Cost of fertilizers		5470.77		5,463.99
Cost of manures	7894.89		8,081.19	
Cost of p.p. materials		3,093.59		3,525.41
Cost of bio-p.p. materials	1,609.96		1,733.21	
Irrigation charge	2,043.70	2,594.80	2,191.58	2,596.52
Interest on working capital	198.94	193.48	218.47	209.03
Land revenue & tax				
Deprn.on farm implement	22.50	22.50	22.50	22.50
Miscellaneous expenses	2,072.04	2,794.60	2,191.66	3,279.23
Total	22,207.86	22,378.08	24,301.81	24,434.97

Cost items	NGC	area	Governn	nent area
Cost items	OFS	IFS	OFS	IFS
Cost A ₁	69,777.02	66,679.54	77,505.81	73,247.95
Cost A ₂	69,777.02	66,679.54	77,505.81	73,247.95
Cost B ₁	69,819.02	66,721.54	77,546.81	73,289.95
Cost B ₂	73,069.02	69,971.54	80,813.48	76,539.95
Cost C	1,04,951.44	1,00,066.70	1,05,794.51	1,00,687.82
Yield (qtl/ha)	382.14	408.51	383.22	403.25
Price(Rs/qtl)	781.34	695.94	777.06	696.80
By product				
Price of By prodt				
Gross return(Rs)	3,00,804.19	2,86,409.34	2,99,945.14	2,82,643.01
Net return(Rs)	1,95,852.76	1,86,342.64	1,94,150.63	1,81,955.19
R / C ratio	2.85	2.84	2.82	2.81
Total cost/ha	1,04,951.44	1,00,066.70	1,05,794.51	1,00,687.82
Total cost/qtl	274.64	244.96	276.07	249.69

Table A10: Comparative cost of cultivation of Brinjal

Source: Field survey

Table A11 : Estimated t values for organic and inorganic farming practices of Brinjal

	t value	Degrees of freedom	Level of significance
Total Cost	4.909	118	.000
R/C Ratio	.102	118	.919
Net Return	1.312	118	.192

Source: Field survey

Table A12: Cost A1 for cultivation of Brinjal

Cost items	NGC) area	Governm	ent area
	OFS	IFS	OFS	IFS
Hired human labour wage	22,444.44	21,585.55	17,948.53	17,327.49
Bullock labour charge	1,676.05	1,676.05	1,672.64	1,676.05
Hired machinery charge	2,185.97	4,261.10	2,181.70	4,352.77
Cost of seed / seedling	3,504.89	3,603.52	3,529.37	3,530.20
Cost of fertilizers		21,255.47		21,322.83
Cost of manures	35,683.96		36,269.81	
Cost of p.p. materials		17,602.27		17,898.51
Cost of bio-p.p. materials	8,783.05		9,289.14	
Irrigation charge	4,046.06	4,691.26	4,154.21	4,649.94
Interest on working capital	1,494.39	1,422.01	1,665.63	1,568.58
Land revenue & tax				
Deprn.on farm implement	52.50	52.50	52.50	52.50
Miscellaneous expenses	4,120.52	4,200.66	4,330.99	4,334.57
Total	69,777.02	66,679.54	77,504.81	73,247.95